

DIFFERENCES IN SITE NUMBERS USED IN PUBLISHED TOWN HISTORY AND VERMONT HISTORIC SITES & STRUCTURES SURVEY

Addison County

PLEASE NOTE CAREFULLY:

The site numbers on the maps and lists of historic properties in the published town history following this page **DO NOT** correspond to the Vermont Historic Sites and Structures Survey (VHSS) numbers on the individual survey forms in this town survey.

The Vermont Division for Historic Preservation conducted a resurvey of all historic properties in each town in Addison County in preparation for the publication of a county history in 1992. New historic sites were added to the VHSS, but a new VHSS survey form was not filled out for each new site, as the information was entered directly into a computer database. Therefore not all sites in the published history have a corresponding VHSS form.



For the town history publication all historic sites, from both the original survey and the resurvey, were assigned new numbers for the published maps and lists. The new numbering system for the publication starts in the upper left hand (NW) corner of each town and proceeds sequentially from left to right, top to bottom, or clockwise around the map. For those towns in which further surveying was done after the initial publication map numbering was completed, there may be some scattered map numbers that are out of sequence.

To see if a property in the published history also has a VHSS form, compare the maps in the published history with the VHSS maps. If the location you are interested in has a number marked on both maps, the building has a VHSS form.

THE HISTORIC ARCHITECTURE OF ADDISON COUNTY

VERMONT STATE REGISTER OF HISTORIC PLACES

FERRISBURGH



VERMONT DIVISION FOR HISTORIC PRESERVATION

**THE HISTORIC ARCHITECTURE
OF ADDISON COUNTY**
*Including a listing of
the Vermont State Register of Historic Places*

Published by the Vermont Division for Historic Preservation
Printed in the United States of America
©1992 The Vermont Division for Historic Preservation
All rights reserved. No part of this book may be used,
reproduced, stored in any retrieval system, or transmitted in
any manner, except for brief quotations in critical reviews or
articles, without written permission from the Vermont
Division for Historic Preservation.

Editor—Curtis B. Johnson; *Assistant Editor*—Elsa Gilbertson;
Addison—Susan E. Hollister; *Bridport*—Tracy A. Cunning;
Bristol—Caroline E. Kane; *Cornwall*—Kevin D. Murphy;
Ferrisburgh—Kevin D. Murphy; *Goshen*—Traies Haydon Roe;
Granville—Rose Anna Zingleman; *Hancock*—Rose Anna
Zingleman; *Leicester*—Traies Haydon Roe; *Lincoln*—Rose
Anna Zingleman, Taryn E. Monell; *Middlebury Town*—Tracy
A. Cunning, Elizabeth F. Pritchett; *Middlebury Village*—Elsa
Gilbertson; *Monkton*—Taryn E. Monell; *New Haven*—Kevin
D. Murphy; *Orwell*—Taryn E. Monell; *Panton*—Tracy A.
Cunning; *Ripton*—Traies Haydon Roe; *Salisbury*—Traies
Haydon Roe; *Shoreham*—Taryn E. Monell; *Starksboro*—
Caroline E. Kane, Elsa Gilbertson; *Vergennes*—Susan E.
Hollister; *Waltham*—Traies Haydon Roe; *Weybridge*—Rose
Anna Zingleman; *Whiting*—Traies Haydon Roe; (*Principal
photographer*—Curtis B. Johnson).

This pamphlet is an excerpt from *The Historic Architecture of Addison County*. The complete volume contains a short history of Addison County, chapters for each town in the county, and a guide to Vermont architecture. An abbreviated version of the architecture guide is found on the back cover of this pamphlet.

The town chapters use historic architecture to tell the developmental history of each town from the first years of white settlement to World War II. Most of the photographs are contemporary to show the historic structures as they stand today. Sources used to prepare this book are listed in the select bibliography found in the complete county volume.

CAUTION

Most of the historic structures included in the town histories are privately owned and are not open to the public. When viewing, please be courteous.

FOREWORD

Historic structures are part of our daily lives in Vermont. We live in them, we shop in them, we continue to use them for the purposes for which they were built, or we find new ways to use them. Whether buildings or bridges, on the farm, in the village, or in the city, these historic resources are a living history of the state because they stand as powerful and readily visible reminders of our past.

Historic buildings also make a major contribution to the celebrated Vermont environment that is crucial to both our economic prosperity and to our personal well-being. Historic downtowns provide attractive places to shop and work. Industries locate in Vermont because of the quality of life here, and the presence of our history is one aspect of that quality. The travel industry in Vermont continues to grow. It is clear from every survey that travelers come to see our countryside with its historic buildings, green fields, forests, hills, and mountains.

We must make a constant effort to protect historic buildings and their surroundings and be ready to intervene to prevent the forces of both man and nature from destroying what our ancestors placed on the landscape. *The Historic Architecture*

Structures referred to in the text that are listed in the State Register of Historic Places are identified by a number or street address in parenthesis corresponding to the Register listings and maps immediately following each town history. The list uses standardized terms to provide information on readily identifiable exterior features of Register sites. This information is gathered by surveying the exteriors of the structures. **There may be discrepancies between demonstrable or asserted building dates and those dates given here.**

For further information on *The Historic Architecture of Addison County* or the State Register of Historic Places, please contact the Vermont Division for Historic Preservation, Montpelier, Vermont 05602 (802-828-3226).

The activity that is the subject of this publication has been financed in part with Federal funds from the National Park Service, Department of the Interior. However, the contents and opinions do not necessarily reflect the views or policies of the Department of the Interior.

This program receives Federal funds from the National Park Service for the identification and protection of historic properties. Regulations of the U.S. Department of the Interior strictly prohibit unlawful discrimination in departmental Federally Assisted Programs on the basis of race, color, national origin, age or handicap. Any person who believes he or she has been discriminated against in any program, activity, or facility operated by a recipient of Federal assistance should write to: Director, Equal Opportunity Program, U.S. Department of the Interior, National Park Service, P.O. 37127, Washington, D.C. 20013-7127.

of Addison County is part of the effort by the Division for Historic Preservation to encourage and enhance the appreciation and thoughtful use of our historic architectural resources and to save and protect them for the future. This publication identifies and documents the resources making up the rich architectural heritage left in our stewardship, and gives citizens of today information that is needed to plan for their preservation.

I hope the book will assist and encourage local preservation efforts, that it will be used by the property owners to learn about their buildings, by local officials in planning for the future of their towns, as a resource for teachers of Vermont and local history, as a guide for residents on Sunday drives, and as a way travelers from all over can learn about Vermont. More than this, I hope it helps us all recognize our heritage and the value of preserving it.

Eric Gilbertson
Director
Vermont Division for Historic Preservation



FERRISBURGH

The rolling farmlands of Ferrisburgh slope from the foothills of the Green Mountains westward to the shores of Lake Champlain. Settlement began in Ferrisburgh largely after the Revolutionary War with a few homesteads close to the lake, an important transportation corridor, and many more along a major road from Vergennes to Burlington (now U.S. Route 7). The village of Ferrisburgh Center developed at the intersection of this road and a route that ran north, then east from Chimney Point in Addison. Later in the nineteenth century, the village of North Ferrisburgh formed around saw and grist mills on Lewis Creek. Resort and summer home development along Lake Champlain began during the last quarter of the nineteenth century and has continued up to the present. These summer residents have left Ferrisburgh with many outstanding examples of historic camp architecture, while the cultivation of the fertile soil led to a rich legacy of barns and farmhouses, many built of stone or brick.

IN THE 1760s SETTLERS ESTABLISHED the first farms in Ferrisburgh along Lake Champlain and maintained contact with one another by sloops that traveled up and down the lake. After the Revolution, retired general

Thomas R. Robinson built the original rear portion of "Rokeby" (22) around 1790. His son, Rowland T., an early abolitionist, added the front portion of the house around 1814. Later Rowland Evans Robinson, notable chronicler of Vermont history and folklore, resided here. "Rokeby" is now a museum devoted to the times and achievements of the Robinson family.

Platt Rogers of Peekskill, New York, established a shipyard at Basin Harbor with the labor of slaves and other workmen. About 1792 he constructed a substantial stone residence (120) with gable fanlights. After Rogers's death the house was operated as an inn for lake travelers by James Winans, the builder in 1809 of the first steamboat on Lake Champlain. At a landing near Kingsland Bay, Gideon Hawley also built a stone house (7) around 1790, which served as an inn. The point of land on which the inn stands was later named "MacDonough Point" for U.S. Navy Commodore Thomas MacDonough, victor of the Battle of Plattsburg on Lake Champlain in 1814. Prior to the battle, fearing that the British might sail up the Otter Creek to destroy his fleet being constructed in Vergennes, MacDonough and Lt. Stephen Cassin had a small earthworks built at the mouth of the creek on what is now Fort Cassin Point.

Among the early farmers of Ferrisburgh were a number of members of the Society of Friends, who settled around their their meetinghouse in an area in northern Ferrisburgh that came to be called "Quakersville." Benjamin Ferris, for

Building numbers in parenthesis correspond to the State Register of Historic Places listing and maps that follow the text.



An unusual structure used for a common practice of the early nineteenth century, this arched, masonry ground cellar (68) in Ferrisburgh likely stored root crops for humans and livestock, especially sheep. Smaller root cellars are known to have been a feature in many houses and barns of the period.



Platt Rogers established a shipyard and ferry at Basin Harbor, constructing this stone residence (120) about 1792. James Winans, who built the first steamboat on Lake Champlain in 1809, converted the house into an inn for those traveling on the lake. In 1887 Adelia Beach remodeled the inn to receive summer guests, and since that time under the direction of her heirs the inn has become the centerpiece of the over eighty buildings of the Basin Harbor Club summer resort.

whom the town is named, was a Friend from New York City. Thomas R. Robinson, a Quaker from Newport, Rhode Island, is thought to have built the original portion of his home "Rokeby" (22) around 1790. Robinson's son, Rowland T., later an early abolitionist active in the Vermont Anti-Slavery Society, added what is now the principal part of the house around 1814.

Through the first half of the nineteenth century, Ferrisburgh farmers cultivated a variety of crops and raised sheep for their wool. Services essential to the agricultural community, such as those provided by a wheelwright and a blacksmith, were available at the developing village of Ferrisburgh Center. The most prominent landmark in the village, the Gothic Revival style Union Meeting House (56) was built in 1840 with bricks from the nearby yard of Herman Barnum.

Outside the village, a large number of Greek Revival style houses attests to the success of Ferrisburgh farmers at mid-century. One Greek



Round dairy barns were meant to save labor by allowing farmers to feed all stabled cows from a central location, but they never became widely popular. One of two round-type barns built in Ferrisburgh, this barn (51) was constructed about 1900.

Revival style farmhouse (60) near the village is distinctive for an applied sunburst in its gable pediment. Of more modest proportions is the farmhouse (53, c.1845) owned by members of the Birkett family; it is a Classic Cottage with a full entablature at the eaves, corner pilasters, and an entrance entablature. Many Greek Revival style farmhouses were built of local brick during the 1840s and 1850s, and at least six (21, 26, 28, 29, 54, 69) took the popular sidehall-plan house form with varying degrees of ornament, including columns, entablatures, and triangular fans.

During the last half of the nineteenth century, livestock breeding and dairy farming came to dominate local agricultural activity, and these pursuits are reflected in a large number of Italianate style farmhouses and their associated outbuildings. The Italianate style house (48, c.1870) built for Thomas Field, a farmer and cattle dealer, displays paneled corner pilasters, cornice brackets, and distinctive window lintels. A. O. Ball, a dairyman and stock breeder, had another Italianate style house (36, c.1875) built with a particularly elaborate cornice with dentils and supporting brackets. Among the many barns built to accommodate dairy farming and livestock breeding is one (76) with "Kimball 1885" inscribed in polychrome slate on its roof and further enhanced by a cupola and weathervane. Two Ferrisburgh farmers also built unusual round barns (21, 51), which are actually eighteen-sided, around 1900.

THE VILLAGE OF NORTH FERRISBURGH, with its grist and saw mills on Lewis Creek, became an active center serving the local farm community during this period. A simple, brick, Greek Revival style house (A18, c.1845) typifies the earliest village residences. Methodists in the northern Ferrisburgh area rebuilt their church (A3) in 1873 with a three-tiered tower and Italianate round-arched windows and door surrounds. In 1884 increasing commercial activity in the



Widely spaced residences and public buildings form the linear village of Ferrisburgh along the main road from Vergennes to Burlington. The Ferrisburgh Grange (63, c.1870), originally the Congregational church, and the Methodist church (62, c.1890) are two landmarks of this village, the first probably designed by Joseph Falarido and the second by his one-time employee Charles LeBoeuf, both of Vergennes.

village encouraged J. A. Allen to commission Charles LeBoeuf of Vergennes to replace Allen's store with a grand Italianate style commercial block (A28). About the same time a smaller, brick, Italianate style store (A25, c.1885) was erected to the east. Houses large and small were also built along the Hollow Road, filling in the stretch from the mills to the Methodist church. A villa-plan, Italianate style house (A15, c.1880) stands next to two modest homes (A13, A14; c.1890) distinguished by peaked lintelboards and enriched cornices.

Contemporary with the rise of dairy farming and stock breeding in Ferrisburgh was the growth in popularity of the lakeshore as a summer resort area. The jagged shore with deep coves and ledges offers inspiring views of the rocky palisades on the New York shore and drew more tourists to Ferrisburgh than to any other town in Addison County. The first visitors came to stay at modest inns, such as one operated by Adelia Beach at Basin Harbor



Walter Scranton, a bank president in neighboring Vergennes, commissioned Percy Griffin of New York City to design the Chateausque style "Woodbridge Hall" (4) as his residence in 1896. After Scranton hurriedly left when substantial funds were found missing from his bank, the property was sold to Charles and Jessica Swift of Middlebury, who used it as a summer residence and resort for their family and friends.

in the old Rogers house (120, c.1792), remodeled in 1887 to accommodate guests. Known as "The Lodge," this inn, after 1910 under the direction of Allen Beach, became the center of the Basin Harbor Club, a resort that by the 1920s included a working farm (123, c.1890), which provided meat, produce, and dairy products for the guests, and a number of modest cabins (117, 119; c.1925). During the 1930s, the club added more substantial cabins to the property, including the Colonial Revival style "Sunny Pines" (118, 1933) with its date stone and Palladian window set in a fieldstone facade. In 1937 three cabins (110, 111, 112) were added along the lakeshore, their stone faces reflecting local building-material traditions.

While some visitors came to Lake Champlain for brief vacations, others settled in for the summer. Just north of Basin Harbor, the earliest camps in Ferrisburgh were built on Mile Point during the 1890s. "Oakleigh" (103, c.1890) has a characteristic encircling veranda as well as decorative shinglework, which is repeated on its adjacent carriage barn. A nearby camp (104, c.1900), owned by the Whiteside family of Vergennes, also has an airy Queen Anne style porch affording views across the lake.

The peninsula north of Mile Point began attracting seasonal residents about the same time and was named, appropriately, "Summer Point". Among the more fanciful camps constructed is one (92, c.1895) with a circular Queen Anne style porch capped by a conical roof. A duplex camp (97, c.1900) nearby displays many of the elements commonly found on camps along Lake Champlain, including a Queen Anne style porch, decorative rafter tails, and a stone chimney. A later Shingle Style camp, "Thendora" (90, c.1905), also has a broad porch linking its inside with the outdoors.



Between 1910 and 1930 many summer recreational camps for children were established throughout Vermont. One such camp in Ferrisburgh was Camp Marbury for girls. Its buildings, such as this cabin (108, c.1925) with rustic door hood and gable fan, were built in the Adirondack Rustic style to complement the back-to-nature experience of camp life.

LONG POINT, a stretch of lakeshore in the northwest corner of Ferrisburgh that had been the site of Methodist camp meetings, became the next peninsula to be dotted with camps (B), owned mostly by residents from nearby inland towns. Although these camps, built between 1890 and 1940, were basically only two stories tall with two rooms on each floor, their shaded porches still captured the gentle breezes and expansive views of the lake. The North Road on the point itself was the first area to be developed; "Fair View" (103 North Road, c.1895) was one of the earliest camps there. "Lotta Water" (90 North Road, c.1900), also on the point, was so-named because it overlooked both the lake and the bay. Later camps, such as "Edgewood" (24 Shore Road, 1928), were built successively away from the point, stretching along South, East, Bay, and Shore roads.

While most summer residents lived relatively simply in modest camps, others enjoyed larger homes with servants' quarters and secluded on expansive grounds. One of these sprawling summer residences, Woodbridge Hall (4, 1896), designed by architect Percy Griffin for Walter Scranton, sits prominently between Porter and Kingsland bays. An unusual design, the home was modeled after an English manor house with its stone construction, irregular massing, and steeply pitched hipped roof. A number of related buildings also mark the property, including a camp (4c, c.1925) and playhouse (4d, c.1925) built with log walls in the Adirondack Rustic style. In the 1890s, Dr. and Mrs. Oppenheim of New York City constructed a camp (100, c.1890) on Mile Point, but as the point became crowded with summer residents, they commissioned a Cornish, New Hampshire, architect, Charles Platt, to design a new summer house on a farm they had purchased at the eastern end of Kingsland Bay. According to Mrs. Oppenheim, they all decided that the house should be built "out of the rocks that



During the 1920s, as an increasing number of automobiles followed the new paved road to Burlington that became U.S. Route 7, enterprising Ferrisburgh residents constructed motor courts, such as this one (27, c.1930), to accommodate travelers. Typically such courts include a central office and a number of radiating tourist cabins.


formed the backbone and the lake shore of our farm." Random rough-faced ashlar stone was then used to construct a massive Georgian plan, Colonial Revival style house (6, c.1910).

With ample opportunity for lakeside recreation, the shores of Ferrisburgh also proved an ideal location for summer camps for children when such camps became popular in the 1920s. Camp Marbury for girls was established by the Sleeper family of New York City. Three of its surviving camp structures, a jewelry shop (106 c.1925), recreational hall (107, c.1925) and cottage (108, c.1925) are outstanding Adirondack Rustic style buildings with rubblestone chimneys and many details worked in tree branches. The École Champlain (8), a camp for girls that specialized in French language instruction, was established at Kingsland Bay around 1925 and incorporated Hawley's Ferry House (7, c.1790). A vernacular Colonial Revival style cottage (8, c.1925) and dining hall (8c, c.1925) near the lake, as well as a number of other buildings scattered around the property, housed camp functions.

SINCE WORLD WAR II the Champlain shore has maintained its attraction for summer residents and visitors, and a major north-south traffic corridor, U.S. Route 7, has encouraged local commercial development. The quiet village of North Ferrisburgh, with its long main street sheltered by overhanging trees, appears much as it did about 1900 and is listed as a historic district in the State Register of Historic Places. Three individual buildings, "Rokeby" (22), the Union Meeting House (56) in Ferrisburgh village, and Hawley's Ferry House (7) are listed in the National Register of Historic Places. With its impressive stone and brick farmhouses, nineteenth-century barns, and a distinguished group of summer residences, the town of Ferrisburgh retains a diverse and rich architectural heritage.

TOWN OF FERRISBURGH MAP

Sites listed in the State Register of Historic Places
 Numbers correspond to Register listings that follow.
 For **A** and **B** see historic district maps.)



SOURCE: VT. AGENCY OF TRANSPORTATION GENERAL HIGHWAY MAP, 1979.

**TOWN OF
FERRISBURGH**
Sites listed in
the State Register
of Historic Places
(For locations
see town and
historic district maps.)

1 Camp, c.1910
Hip roof, 1½ stories.
Features: distinctive dormer,
unusual window, porch,
decorative rafter tails.


2 Camp, c.1915
Stone, gable roof,
1½ stories.
Features: fieldstone, porch.

3 Camp, c.1920
Wood shingle, gable roof,
1½ stories.
Features: porch.

4 Woodbridge Hall
a. House, 1896
Architect/builder: Percy Griffin
Chateausque style, stone, hip
roof, 2½ stories.
Features: fieldstone, lintels,
distinctive dormer, segmental
pediment, porch.
b. Carriage Barn, c.1900
Wood shingle, hip roof,
1½ stories.
Features: peaked lintelboards,
porch.
c. Camp, c.1925
Adirondack Rustic style, log
vener, gable roof, 1½ stories.
Features: decorative rafter tails.
d. Playhouse, c.1920
Adirondack Rustic style, log
vener, gable roof, 1 story.
Features: porch, distinctive
chimney.
e. Garage, 1896
Stone, hip roof, 1 story.

5 Camp, c.1920
Vernacular-Colonial Revival
style, gable roof, 1½ stories.
Features: Colonial Revival
porch, distinctive dormer.

6 House, c.1910



Architect/builder: Charles
Platt
Colonial Revival style, stone,
Georgian plan.
Features: Colonial Revival
porch, enriched cornice,
lintels, transom, entry
pilasters, distinctive chimney.
Related barn, house.

7 House, c.1800
Stone, Georgian plan.
Features: name inscription,
Palladian window, fieldstone,
sidelights, entry fanlight,
corner tower, flat arches.
*Listed in the National Register
of Historic Places*

8 École Champlain
a. Camp Structure, c.1925
Vernacular-Colonial Revival
style, wood shingle, gable roof,
1½ stories.
Features: distinctive chimney.
b. Camp Structure, c.1925
Vernacular-Adirondack Rustic
style, log veneer, gable roof,
1 story.
c. Camp Structure, c.1925
Vernacular-Colonial Revival
style, wood shingle, gambrel
roof, 1½ stories.
Features: gable fanlight, Colonial
Revival porch.
d. Camp Structure, c.1925
Wood shingle, gable roof,
1 story.
e. Camp Structure, c.1925
Vernacular-Colonial Revival
style, wood shingle, gable roof,
1½ stories.
f. Garage, c.1925
Wood shingle, gable roof.
g. Camp Structure, c.1925
Vernacular-Colonial Revival
style, gable roof, 1½ stories.

9 Camp, c.1925
Hip roof, 1 story.
Features: rafter tails, porch.

10 Camp, c.1925
Hip roof, 1 story.
Features: porch, rafter tails.
Related privy.

11 Camp, c.1925
Gable roof, 1½ stories.
Features: porch.

12 House, c.1860
Gable roof, 1½ stories.
Features: entry entablature,
paneled wall pilaster,
sidelights, kneewall window.
Related barn, barn.

13 Camp, c.1915
Gable roof, 1 story.
Features: porch.

14 Camp, c.1915
Gable roof, 1½ stories.
Features: porch, gablescreen.

15 Camp, c.1920
Gable roof, 1½ stories.
Features: porch.

16 Camp, c.1925
Gable roof, 1½ stories.
Features: porch.

17 House, c.1890
Gable roof, 1½ stories.
Features: Colonial Revival
porch.
Related chicken barn,
chicken coop, garage.

18 Ground Stable Barn,
c.1910
Gambrel roof.
Features: ventilator, wood
silo.
Related milkhouse, house.
Features: Queen Anne
porch, peaked lintelboards,
unusual window.

19 House, c.1880
Vernacular-Italianate style,
sidehall plan, 2½ stories.
Features: Italianate porch,
distinctive door, peaked
lintelboards.
Related late bank barn, late
bank barn.
Features: hoist.

20 House, c.1850
Classic Cottage.
Features: Queen Anne
porch.

21 House, c.1845



Vernacular-Greek Revival
style, brick, sidehall plan,
flat roof, 2 stories.
Features: lintels, balloon
frame, sidelights, transom.
Related round barn.
Features: cupola, peaked
lintelboards.

22 House, c.1790/1814
Georgian plan.
Features: sidelights, cornice
caps, Colonial Revival
porch, unusual window.
Related ice house.
Features: fieldstone.
*Listed in the National Register
of Historic Places*

23 House, c.1850
Greek Revival style, wood
shingle, sidehall plan,
1½ stories.
Features: entry entablature,
sidelights, corner pilasters.
Related ground stable barn,
early barn, shed.
Features: hoist.

24 Railroad Station, c.1870
Wood shingle, jerkinhead
roof, 1 story.
Features: bay window,
cornice brackets, door hood.

25 Covered Bridge, 1824

26 House, c.1845
Greek Revival style, brick,
sidehall plan, 2½ stories.
Features: lintels, triangular
gable fanlight, entry
entablature, entry pilasters,
entry columns, transom,
sidelights, fretwork.

27 Motor Court
a. House, c.1870
Classic Cottage.
b. Tourist Cabin, c.1935
Gable roof, 1 story.
c. Tourist Cabin, c.1935
Gable roof, 1 story.
d. Tourist Cabin, c.1935
Gable roof, 1 story.

28 House, c.1845
Vernacular-Greek Revival
style, brick, sidehall plan,
2½ stories.
Features: lintels, triangular
gable fanlight, distinctive
door, decorative brickwork.
Related early barn, shed.
Features: peaked
lintelboards.

29 House, c.1850
Vernacular-Greek Revival
style, brick, sidehall plan,
1½ stories.
Features: sidelights, lintels,
flat arches, tie rod ends.

30 House, c.1875
Italianate style, hip roof,
2 stories.
Features: cornice brackets,
paneled corner pilasters,
Italianate porch.
Related ground stable barn.
Features: hoist, ventilators.

31 House, c.1875
gable roof, 1½ stories.
Features: peaked
lintelboards, cornice caps,
porch.

32 House, c.1845
Vernacular-Greek Revival
style, sidehall plan,
1½ stories.
Features: entry entablature,
entry pilasters.

33 House, c.1890
Vernacular-Queen Anne
style, gable roof, 2 stories.
Features: peaked
lintelboards, shinglework.
Related garage.

34 House, c.1890
Queen Anne style, Tri-Gable
Ell, 2½ stories.
Features: applied woodwork,
Queen Anne porch, round
window.
Related garage.

35 House, c.1855
Greek Revival style, sidehall
plan, 2½ stories.
Features: entry entablature,
sidelights, triangular gable
fan, full entablature.

36 House, c.1875
Italianate style, sidehall plan,
2½ stories.
Features: peaked
lintelboards, distinctive
lintelboards, distinctive door,
Italianate porch, round
window, bay window,
cornice brackets.

37 House, c.1890
Vernacular-Queen Anne
style, gable roof, 2½ stories.
Features: Queen Anne
porch, enriched cornice,
applied woodwork, unusual
window.

38 House, c.1875
Italianate style, hip roof,
2½ stories.
Features: round window,
enriched cornice, distinctive
dormer.

39 House, c.1835
Georgian plan.
Features: entry pilasters, entry fanlight, entry entablature.
Related ground stable barn.

40 House, c.1880



Italianate style, Georgian plan.
Features: door hood, cornice caps, Italianate porch.
Related garage.

41 Duplex, c.1830
Gable roof, 1 1/2 stories.
Related early barn, carriage barn.

42 House, c.1870
Italianate style, Georgian plan, hip roof.
Features: cornice brackets, Italianate porch, paneled corner pilaster, sidelights, entry entablature, enriched cornice, etched glass, full entablature.
Related ground stable barn.
Features: hoist.

43 House, c.1850
Vernacular-Greek Revival style, Classic Cottage.
Features: kneewall window, entry entablature, sidelights, entry pilasters.

44 House, c.1880
Hip roof, 2 stories.
Features: Queen Anne porch, cornice brackets.
Related ground stable barn.
Features: hoist.

45 House, c.1860
Greek Revival style, Classic Cottage.
Features: corner pilasters, full entablature, entry entablature, entry pilasters, Gothic Revival porch, hood molding.

46 Ground Stable Barn, c.1920
Gambrel roof.
Features: ventilator, hoist.
Related house, chicken coop, shed.

47 Bridge, c.1920
Pony truss.

48 House, c.1870
Italianate style, hip roof, 2 stories.
Features: cornice brackets, paneled corner pilaster, bay window, Italianate porch, enriched cornice, decorative lintelboards, transom.
Related late bank barn.

49 House, c.1825/c.1875
Georgian plan, hip roof.
Features: entry entablature, sidelights, paneled corner pilaster, cornice brackets.

50 House, c.1840
Greek Revival-Italianate style, brick, Georgian plan, hip roof.
Features: lintels, cornice brackets.

51 Octagonal Barn, c.1910
Gambrel roof.
Features: cupola.

52 House, c.1820
Classic Cottage.
Features: transom.
Related garage.

53 House, c.1820/c.1845
Greek Revival style, Classic Cottage.
Features: corner pilasters, full entablature, entry pilasters, entry entablature.
Related carriage barn, ground stable barn.

54 House, 1843
Brick, sidehall plan, 2 1/2 stories.
Features: lintels, decorative brickwork, distinctive chimney, Italianate porch.
Related early barn.

55 House, c.1810/c.1850
Vernacular-Greek Revival style, sidehall plan, 1 1/2 stories.
Features: full entablature, corner pilasters.

56 Church, 1840



Gothic Revival style, brick, gable roof, 1 1/2 stories.
Features: ridge tower, pointed arch window, lintels.
Listed in the National Register of Historic Places

57 House, c.1870
Italianate style, Georgian plan, hip roof.
Features: sidelights, Italianate porch, cornice brackets, entry entablature, entry pilasters, cornice caps.
Related carriage barn.

58 House, c.1850
Classic Cottage.
Features: sidelights, reveals, kneewall window, entry pilasters, entry entablature, cornice caps.
Related ground stable barn.
Features: weathervane, ventilators.

59 Multi-family House, c.1890
Gable roof, 2 1/2 stories.
Features: porch.

60 House, c.1850
Greek Revival style, sidehall plan, 2 stories.
Features: applied woodwork, entry entablature, paneled entry pilaster, sidelights, paneled corner pilaster.

61 House, c.1860
Sidehall plan, 2 1/2 stories.
Features: triangular gable fan, sidelights, peaked lintelboards, distinctive door, entry entablature, entry pilasters, corner pilasters, cornice brackets.

62 Church, c.1885
Queen Anne style, wood shingle, gable roof, 1 1/2 stories.
Features: triangular arch window, round window, shinglework, towers.

63 Grange Hall, c.1870
Italianate style, gable roof, 1 1/2 stories.
Features: ridge tower, cornice brackets, door hood, label lintels, weathervane, distinctive door, applied woodwork.

64 House, c.1790/c.1875
Italianate style, Georgian plan, hip roof.
Features: Italianate porch, cornice brackets, paneled corner pilaster, sidelights, entry entablature, polychrome slate.

65 House, c.1850
Gable roof, 1 1/2 stories.
Features: entry entablature, entry pilasters, kneewall window.
Related early barn, shop.

66 House, c.1845
Brick, Georgian plan.
Features: gable fan, Colonial Revival porch, lintels, sidelights.
Related carriage barn.

67 House, c.1885
Vernacular-Italianate style, hip roof, 2 stories.
Features: cornice brackets.
Related late bank barn, shed, milkhouse.
Related: hoist.

68 Root Cellar, c.1810
Stone, 1 story.
Features: round arch.
Related house.

69 House, c.1850
Greek Revival style, brick, sidehall plan, 2 1/2 stories.
Features: lintels, triangular gable fan, sidelights, entry entablature, distinctive door.
Related early barn, carriage barn, shed.

70 House, c.1850
Vernacular-Greek Revival style, brick, Georgian plan.
Features: lintels.
Related windmill, early barn, late bank barn.
Features: cupola.

71 House, c.1900
Wood shingle, gable roof, 1 1/2 stories.
Related barn, garage, shed.

72 School, c.1850
Brick, gable roof, 1 story.
Features: bank of windows, lintels, decorative brickwork.

73 Ground Stable Barn, c.1915
Wood shingle, gambrel roof.
Features: ventilator.
Related early barn, house.

74 House, c.1850
Gable roof, 2 1/2 stories.
Related early barn, early bank barn, shed.
Features: cupola

75 House, c.1845
Brick, gable roof, 2 stories.
Features: lintels.
Related ground stable barn, house.
Features: ventilators, hoist.

76 (Farm)
a. House, c.1885
Gable roof, 2 1/2 stories.
Features: gablescreen, Queen Anne porch, bay window.
b. Ground Stable Barn, c.1890



c. Late Bank Barn, 1885
Features: name inscription, date inscription, polychrome slate, cupola, weathervane.
d. Carriage Barn, c.1890
Features: cupola, weathervane.

77 House, c.1890
Gable roof, 2 1/2 stories.
Features: round window, Queen Anne porch.
Related garage, shed, farm shop.

78 House, c.1845
Brick, gable roof, 2 1/2 stories.
Features: Queen Anne porch, lintels, sidelights.
Related ground stable barn, carriage barn.

79 House, c.1860/c.1890
Georgian plan.
Features: bay window, transom, shinglework.

80 House, c.1875

Italianate style, brick, hip roof, 2 stories.
Features: cornice brackets, Italianate porch, segmental arch window, decorative brickwork.

81 Early Barn, c.1880

Related house.

82 House, c.1830

Federal style, stone, gable, gable roof, 2½ stories.
Features: lintels, sidelights, entry fan.

83 House, c.1890

Gable roof, 1¾ stories.
Features: Queen Anne porch. Related ground stable barn.
Features: hoist, bellcast roof.

84 House, 1835

Stone, gable roof, 2½ stories.
Features: sidelights, lintels, fieldstone.

85 House, c.1880

Italianate style, hip roof, 2 stories.
Features: cornice caps, sidelights, cornice brackets. Related ground stable barn, carriage barn.
Features: hoist.

86 School, c.1830

Stone, gable roof, 1 story.
Features: lintels.

87 Camp, c.1895

Gable roof, 2½ stories.
Features: porch, rafter tails. Related carriage barn, gazebo.
Features: diagonal boarding, rafter tails.

88 Camp, c.1910

Gambrel roof, 1½ stories.
Features: Colonial Revival porch.
Related garage.

89 Camp, c.1895

Gable roof, 1½ stories.
Features: porch, rafter tails. Related carriage barn.

90 Camp, c.1905

Shingle Style, wood shingle, gable roof, 1½ stories.
Features: Colonial Revival porch, towers, distinctive chimney. Related servants quarters.
Features: shinglework, decorative woodwork.

91 Camp, c.1900

Vernacular-Queen Anne style, gable roof, 1½ stories.
Features: Queen Anne porch, stained glass, distinctive chimney.

92 Camp, c.1895

Vernacular-Queen Anne style, hip roof, 1½ stories.
Features: unusual window, distinctive dormer, Queen Anne porch, distinctive chimney.
Related garage.

93 Store, c.1900

Adirondack Rustic style, log veneer, gable roof, 1 story.
Features: distinctive chimney.
Related garage.

94 Camp, c.1910

Gable roof, 1½ stories.
Features: porch.
Related privy.

95 Camp, 1922

Adirondack Rustic style, log veneer, gable roof, 1½ stories.
Related garage.

96 Camp, 1897

Gambrel roof, 1½ stories.
Features: porch, gable fanlight.

97 Duplex, c.1900

Wood shingle, gable roof, 2½ stories.
Features: Queen Anne porch, decorative rafter tails, distinctive chimney.

98 Camp, c.1900

Gable roof, 2 stories.
Features: Queen Anne porch, round window.



Related ice house.

99 Camp, c.1910

Gable roof, 2 stories.
Features: porch.
Related garage.

100 Camp, c.1890

Vernacular-Queen Anne style, wood shingle, gable roof, 1½ stories.
Features: shinglework, cornice brackets, Queen Anne porch.

101 Camp, 1906

Vernacular-Craftsman style, gable roof, 1¾ stories.
Features: bellcast, cobblestone, porch, distinctive chimney.

102 Camp, 1903

Gable roof, 2½ stories.
Features: name inscription, date inscription, gablescreen, porch.

103 Camp, c.1890

Vernacular-Queen Anne style, gable roof, 1½ stories.
Features: shinglework, Queen Anne porch. Related carriage barn, privy.
Features: enriched cornice.

104 Camp, 1895

Vernacular-Queen Anne style, gable roof, 1½ stories.
Features: Queen Anne porch, shinglework. Related privy, garage.

105 Camp, c.1910

Tri-Gable Ell, 2½ stories.
Features: distinctive chimney, gablescreen. Related garage.

106 Shop, c.1930

Saw-tooth roof, 1 story.

107 Camp Structure, c.1925

Adirondack Rustic style, gable roof, 1 story.
Features: decorative rafter tails, porch, distinctive chimney.

108 Camp, c.1925

Adirondack Rustic style, gable roof, 1½ stories.
Features: door hood, gable fanlight, applied woodwork. Related camp structure.
Features: applied woodwork.

109 Camp, c.1890

Queen Anne style, gable roof, 1½ stories.
Features: Queen Anne porch, unusual window, shinglework.

110 Camp, 1937

Gable roof, 1 story.
Features: marble.

111 Camp, 1937

Vernacular-Colonial Revival style, gable roof, 1 story.
Features: sidelights, entry fan, unusual window.

112 Camp, 1937

Gable roof, 1 story.
Features: fieldstone.

113 House, c.1870/c.1887

Wood shingle, gable roof, 3 stories.
Features: Italianate porch.

114 House, c.1890

Gable roof, 1¾ stories.
Features: Gothic wall dormer, porch, cornice caps, distinctive door.

115 Camp, c.1935

Gable roof, 1½ stories.
Features: Colonial Revival porch, applied woodwork.

116 Servants Quarters, c.1925

Wood shingle, gable roof, 1 story.
Features: door hood.

117 Camp, c.1930

Gambrel roof, 1 story.
Features: porch.

118 Camp, 1933

Vernacular-Colonial Revival style, wood shingle, gable roof, 1½ stories.
Features: date inscription, fieldstone, Palladian window, sidelights, entry fanlight.

119 Camp, c.1925

Jerkinhead roof, 1 story.

120 House, c.1790/c.1920

Stone, gable roof, 1½ stories.
Features: transom, porch.

121 House, c.1910

Colonial Revival style, stone, gable roof, 1½ stories.
Features: transom.

122 House, c.1820

Vernacular-Federal style, gable roof, 1¾ stories.
Features: entry entablature, entry pediment, sidelights.

123 House, c.1890

Gable roof, 1½ stories.
Features: porch. Related ground stable barn, garage.

124 House, c.1885

Gable roof, 1½ stories.
Features: Gothic wall dormer, Italianate porch, distinctive door, shinglework, bay window, distinctive chimney.

125 House, c.1860

Gable roof, 1½ stories.
Features: gablescreen, hood molding, Italianate porch, enriched cornice.

126 House, c.1855
 Vernacular-Greek Revival style, sidehall plan, 1½ stories.
 Features: entry entablature, sidelights, transom.

127 House, c.1830
 Vernacular-Greek Revival style, gable roof, 1½ stories.
 Features: enriched entablature, Queen Anne porch.
 Related barn, barn.

128 House, c.1910
 Sidehall plan, 2½ stories.
 Features: Queen Anne porch, round window.
 Related barn, shed.

129 Camp, c.1910
 Gable roof, 2½ stories.
 Features: porch, distinctive dormer, rafter tails.
 Related shed, carriage barn, guest cottage.

130 House, c.1890
 Vernacular-Queen Anne style, gable roof, 1½ stories.
 Features: Queen Anne porch, unusual window, distinctive dormer.
 Related cemetery.

131 Camp, c.1900
 Gable roof, 1½ stories.
 Features: porch, rafter tails.

132 Camp, c.1900
 Wood shingle, gable roof, 2 stories.
 Features: porch, rafter tails, door hood, stickwork.
 Related guest cottage, shed.

133 Camp, c.1915
 Gable roof, 1 story.
 Features: porch.

134 Camp, c.1900
 Gable roof, 2 stories.
 Features: porch, rafter tails, label lintels, unusual window, stickwork.

135 Camp, c.1900
 Gable roof, 1½ stories.
 Features: porch.

136 Camp, c.1925
 Gable roof, 2 stories.
 Features: porch, stickwork.
 Related guest cottage, garage, privy.
 Features: historic garage doors.

137 Camp, c.1925
 Gable roof, 1½ stories.
 Features: distinctive chimney, rafter tails, porch.

138 Camp, c.1935



Gambrel roof, 2½ stories.
 Features: porch, distinctive chimney, rafter tails.

139 Camp, c.1925
 Gable roof, 1 story.
 Features: rafter tails, porch, distinctive chimney.

140 Camp, c.1920
 Architect/builder: Fred Brecht
 Gable roof, 1½ stories.
 Features: porch.
 Related shed, carriage barn.
 Features: peaked lintelboards.

141 House, c.1860
 Greek Revival style, gable roof, 2½ stories.
 Features: entry pilasters, sidelights.
 Related barn.
 Features: cupola.

142 Barn, c.1910
 Features: cupola.
 Related silo, shed.

143 House, c.1880
 Gable roof, 2 stories.
 Features: Queen Anne porch, distinctive dormer.
 Related barn, barn.

144 Barn, c.1900
 Gable roof, 1½ stories.
 Related shed, barn.

145 House, c.1920
 Wood shingle, gable roof, 1½ stories.
 Features: Colonial Revival porch.

146 Barn, c.1810
 Related house.

147 Ice House, c.1900
 Gable roof, 2½ stories.
 Features: cupola.

148 Store, c.1925



Gable roof, 1 story.
 Features: original storefront.
 Related barn, shed.
 Features: cupola, wood silo, shinglework.

149 House, c.1880
 Italianate style, hip roof, 2 stories.
 Features: corner pilasters, sidelights, corner pilasters.
 Related barn, shed.

150 House, c.1900
 Gable roof, 1½ stories.
 Features: Colonial Revival porch, peaked lintelboards.
 Related barn, shed.

151 Store, c.1860
 Hip roof, 2 stories.
 Features: distinctive chimney, original storefront, porch.

152 House, c.1880
 Gable roof, 2½ stories.
 Features: porch.

153 House, c.1860/1883
 Gable roof, 2½ stories.
 Related barn.


154 House, c.1855
 Gable roof, 1½ stories.
 Features: Queen Anne porch.
 Related barn, shed.

155 House, c.1925
 Wood shingle, gable roof, 2½ stories.
 Features: door hood.
 Related granary.

156 House, c.1860
 Sidehall plan, 1½ stories.
 Features: enriched entablature, sidelights, porch.

A NORTH FERRISBURGH HISTORIC DISTRICT MAP

(Numbers correspond to Register listing that follows.)



**NORTH
FERRISBURGH
HISTORIC DISTRICT**

A1 House, c.1890
Tri-Gable Ell, 2 stories.
Features: porch, peaked
entry lintel, bay window.

A1a Carriage Barn, c.1910
Wood shingle, gambrel roof,
1 1/2 stories.
Features: historic garage
door.

A2 Parsonage, c.1890
Queen Anne style, Tri-Gable
Ell, 2 1/2 stories.
Features: shinglework,
sidelights, Queen Anne
porch, unusual window,
cornice caps.

A2a Garage, c.1930
Hip roof.
Features: historic garage
door.

A3 Church, 1873



Italianate style, gable roof,
2 1/2 stories.
Features: cornice brackets,
distinctive door, side tower,
round arch window, stained
glass, applied woodwork.

A4 House, c.1870
Classic Cottage.
Features: door hood.

A4a Shop, c.1900
Gable roof, 1 1/2 stories.

A5 House, c.1855
Greek Revival style, sidehall
plan, 1 1/2 stories.
Features: transom, entry
entablature, entry pilasters,
full entablature, corner
pilasters.

A5a Garage, c.1945
Non-contributing due to age.

A6 House, c.1900
Gable roof, 1 1/2 stories.
Features: porch.

A6a Garage, c.1920

A7 House, c.1960
Non-contributing due to age.

A8 Garage, c.1940

*North Ferrisburgh developed in the second half of the nine-
teenth century as a service and social center for the
surrounding farm community, with mills, stores,
residences, and churches. Today Italianate style landmarks
and simpler vernacular homes remain aligned along the
quiet road from U.S. Route 7 to Lewis Creek.*



(A24, c.1930; A25, c.1885)

A9 House, c.1860
Gothic Revival style, gable
roof, 2 1/2 stories.
Features: bargeboard,
triangular arch window, bay
window, Gothic Revival
porch.

A9a Shop, c.1930
Gable roof, 1 story.

A10 House, c.1885
Tri-Gable Ell, 2 1/2 stories.

A10a Carriage Barn, c.1885

A11 House, c.1890
Sidehall plan, 1 1/2 stories.
Features: Queen Anne
porch.

A11a Carriage Barn, c.1890

A12 Store, c.1930
Jerkinhead roof, 1 story.
Features: original storefront.

A13 House, c.1890
Gable roof, 1 1/2 stories.
Features: peaked
lintelboards, Queen Anne
porch, bay window.

A13a Carriage Barn, c.1890

A14 House, c.1890
Gable roof, 1 1/2 stories.
Features: enriched cornice,
peaked lintelboards.

A15 House, c.1880
Italianate style, hip roof,
2 stories.
Features: enriched cornice,
cornice brackets, bay
window, peaked lintelboards,
cornice caps.

A15a Garage, c.1960
Non-contributing due to age.

A16 Fire Station, c.1970
Non-contributing due to age.

A17 House, c.1890
Gable roof, 2 stories.

A18 House, c.1845



Greek Revival style, brick,
sidehall plan, 1 1/2 stories.
Features: lintels, entry
entablature, sidelights.

A19 House, c.1880
Classic Cottage.
Features: distinctive door,
Italianate porch.

A19a Garage, c.1920

A19b Garage, c.1920
Wood shingle.

A20 House, c.1900
Gable roof, 1 1/2 stories.

A20a Garage, c.1935

A21 House, c.1800/c.1900
Gable roof, 1 1/2 stories.

A22 House, c.1885
Classic Cottage.
Features: cornice caps, bay
window, Queen Anne porch.

A22a Carriage Barn, c.1900

A23 House, c.1885



Gable roof, 1 1/2 stories.
Features: Queen Anne
porch, bay window, distinc-
tive door.

A23a Garage, c.1920

A24 Warehouse, c.1930
Gable roof, 1 1/2 stories.

A25 Store, c.1885
Italianate style, brick, flat
roof, 2 stories.
Features: enriched cornice,
cornice brackets, original
storefront, decorative
brickwork.

A26 House, c.1860/c.1920
Classic Cottage.
Features: sidelights, entry
entablature, distinctive door.

A26a Carriage Barn, c.1900

A27 House, c.1840/c.1910
Gable roof, 1 1/2 stories.
Features: Colonial Revival
porch, sidelights.

A27a Garage, c.1920

A28 Store, 1885



Italianate style, hip roof,
2 stories.
Features: belvedere, cornice
brackets, polychrome slate,
original storefront, distinctive
lintelboards, name inscrip-
tion, date inscription, cornice
brackets, full entablature.

A28a Garage, c.1930
Pressed stone.

A29 House, c.1880
Hip roof, 2 1/2 stories.
Features: cornice brackets,
round window, distinctive
lintelboards.

A30 Library, c.1925
 Vernacular-Colonial Revival
 style, hip roof, 1 story.
 Features: Colonial Revival
 porch.

A30a Garage, c.1960
 Non-contributing due to age.

A31 House, c.1890
 Sidehall plan, 1 ½ stories.
 Features: Queen Anne
 porch, gablescreen.

A31a Barn, c.1965
 Non-contributing due to age.

A32 House, c.1890
 Gable roof, 1 ½ stories.
 Features: enriched cornice.

A32a Shed, c.1900

A33 House, c.1870
 Gable roof, 2 ½ stories.

A33a Carriage Barn, c.1890

A34 Carriage Barn, c.1890



Features: peaked
 lintelboards, distinctive door.

A35 House, c.1880
 Gable roof, 1 ½ stories.
 Features: peaked
 lintelboards.

A36 House, c.1970
 Non-contributing due to age.

A37 House, c.1900
 Non-contributing due to
 alterations.

A38 House, c.1890
 Sidehall plan, 1 ½ stories.

A39 House, c.1890
 Gable roof, 2 stories.


A40 House, c.1890
 Gable roof, 1 ½ stories.
 Features: bay window,
 Queen Anne porch, cornice
 caps.

A41 House, c.1900
 Gable roof, 1 ½ stories.

A41a Garage, c.1975
 Non-contributing due to age.
 Related late bank barn.

B LONG POINT HISTORIC DISTRICT MAP

(Individual structures are identified by camp number and road name in Register listing that follows.)



SOURCE: VT. MAPPING PROGRAM ORTHOPHOTOS, 1975.

Lake Champlain in Ferrisburgh in the 1880s attracted intrepid, local tenting families, many of whom returned in later years to build vernacular summer camps in such places as Long Point. Of light wood-frame construction with airy porches and no heat, these camps express families' commitment to lakeside recreation and comparatively rustic leisure.


LONG POINT HISTORIC DISTRICT

64 Bay Road
Camp, c.1920
Wood shingle, gable roof, 1½ stories.
Features: recessed porch.

65 Bay Road
Camp, c.1915
Gable roof, 1½ stories.
Features: porch.

41 East Road
Camp, c.1920
Gable roof, 1 stories.
Features: rafter tails, distinctive chimney, door hood.

42 East Road
Camp, c.1900
Gable roof, 1½ stories.
Features: Queen Anne porch, shinglework.
Related barn, c.1900.



43 East Road

Camp, c.1900
Wood shingle, gable roof,
1 1/2 stories.
Features: shinglework,
Queen Anne porch.

44 East Road

Camp, c.1925
Jerkinhead roof, 1 1/2 stories.
Features: distinctive
chimney, porch.

45 East Road

Camp, c.1880
Gable roof, 1 1/2 stories.
Features: porch, rafter tails.

47 East Road

Camp, c.1920
Wood shingle, gable roof,
1 1/2 stories.
Features: porch, cobblestone.

48 East Road

Camp, c.1915
Gable roof, 1 stories.
Features: porch, rafter tails.

49 East Road

Camp, c.1910
Wood shingle, hip roof,
2 stories.
Features: Queen Anne
porch, enriched cornice,
cobblestone, shinglework.

50 East Road

Camp, c.1920
Gable roof, 2 stories.
Features: rafter tails, porch.

51 East Road

Camp, c.1930
Gable roof, 1 1/2 stories.
Features: unusual window,
recessed porch.

55 East Road

Camp, c.1930
Gable roof, 2 stories.
Features: porch.
Related garage, c.1935
Features: rafter tails.

88 North Road

Camp, c.1900
Gable roof, 2 stories.
Features: porch.

89 North Road



Camp, c.1915
Gable roof, 1 1/2 stories.
Features: porch.

90 North Road

Camp, c.1900
Gable roof, 2 stories.
Features: porch, bank of
windows.

91 North Road

Camp, c.1925
Gable roof, 1 1/2 stories.
Features: porch, rafter tails.

92 North Road

Camp, c.1925
Sidehall plan, gable roof,
2 stories.
Features: porch.

93 North Road

Camp, c.1920
Gable roof, 1 1/2 stories.
Features: porch.

94 North Road

Camp, c.1930
Gable roof, 1 1/2 stories.
Features: porch.

95 North Road

Camp, c.1900
Gable roof, 1 1/2 stories.
Features: porch.
Related ice house, c.1900

96 North Road

Camp, c.1900
Gable roof, 2 stories.
Features: porch, distinctive
chimney.

97 North Road

Camp, c.1930
Gable roof, 1 1/2 stories.
Features: porch, door hood,
distinctive chimney.

98 North Road

Camp, c.1925
Gable roof, 1 1/2 stories.
Features: porch.

99 North Road

Camp, c.1935
Gable roof, 2 stories.
Features: porch, distinctive
chimney, sidelights.

100 North Road

Camp, c.1910
Gable roof, 2 1/2 stories.
Features: porch, shinglework.

101 North Road

Camp, c.1910
Gable roof, 1 1/2 stories.
Features: porch.

102 North Road

Camp, c.1900
Gable roof, 1 1/2 stories.
Features: porch, distinctive
dormer.

103 North Road

Camp, c.1895
Gable roof, 1 1/2 stories.
Features: porch.

104 North Road

Camp, c.1900
Wood shingle, gable roof,
1 1/2 stories.
Features: porch.

105 North Road

Camp, c.1915
Gable roof, 1 1/2 stories.
Features: porch.

107 North Road

Camp, c.1915
Gable roof, 2 stories.
Features: distinctive
chimney, porch.

110 North Road



Camp, c.1910
Gable roof, 1 1/2 stories.
Features: porch.

113 North Road

Camp, c.1930
Gable roof, 2 stories.
Features: porch.

114 North Road

Camp, c.1910
Gable roof, 1 1/2 stories.
Features: porch, rafter tails.

115 North Road

Camp, c.1895
Gable roof, 1 1/2 stories.
Features: porch, distinctive
dormer.

117 North Road

Camp, c.1900
Gable roof, 2 stories.
Features: porch.

118 North Road

Camp, c.1910
Gable roof, 1 1/2 stories.
Features: porch, distinctive
chimney, rafter tails.

119 North Road

Camp, c.1920
Gable roof, 1 1/2 stories.
Features: porch.

120 North Road

Camp, c.1925
Gable roof, 1 1/2 stories.
Features: porch.

123 North Road

Camp, c.1915
Wood shingle, gambrel roof,
1 1/2 stories.
Features: distinctive dormer,
porch.

19 Shore Road

Camp, c.1935
Gable roof, 1 1/2 stories.
Features: rafter tails, porch.

24 Shore Road

Camp, 1928
Gable roof, 1 1/2 stories.
Features: rafter tails, distinc-
tive dormer, recessed porch.

25 Shore Road

Camp, c.1900
Gable roof, 2 stories.
Features: recessed porch.

28 Shore Road

Camp, c.1900
Gable roof, 2 1/2 stories.
Features: porch.

29 Shore Road

Camp, c.1930
Gable roof, 1 story.
Features: recessed porch.

33 Shore Road

Camp, c.1895
Gable roof, 1 1/2 stories.
Features: recessed porch.

40 Shore Road

Camp, c.1935
Gable roof, 1 1/2 stories.
Features: porch, rafter tails.

72 South Road

Camp, c.1925
Gable roof, 1 1/2 stories.
Features: rafter tails.

75 South Road

Camp, c.1930
Gable roof, 1 story.
Features: distinctive
chimney.

84 South Road

Camp, c.1925
Gable roof, 1 1/2 stories.
Features: recessed porch,
distinctive dormer.

85 South Road

Camp, c.1921
Gable roof, 1 1/2 stories.
Features: porch, rafter tails.

GLOSSARY

Note: all terms are defined as they are used in this publication. They may have other meanings not included here.

bank barn A barn whose basement is built into the side of a hill or earthen bank and whose first floor stable is at grade level.

bargeboard Decorative board, often scroll sawn or carved, ornamenting rooflines.

bay Regular vertical divisions of the exterior of a building, usually defined by the door and window openings.

belvedere Rooftop structure, usually with windows on all sides.

board and batten Exterior siding of flush, wide, vertical planks with narrow wooden strips (battens) covering the joints.

c. or **circa** Used before a date to indicate that the date is approximate.



Cape Cod A 1 1/2 story house, five bays wide across the eaves side, with a central entry, eaves with little or no overhang, and originally built with a large central chimney.



Classic Cottage A 1 1/2 story house, five bays wide across the eaves side, with a central entry, characterized by a *kneewall*, and originally built with stove chimneys, usually symmetrically placed, on the ridgeline.


column A vertical support that consists of a base, shaft, and capital. In classical architecture there are five types: Doric, Tuscan, Ionic, Corinthian, and Composite.

continuous architecture A farmhouse linked to its attached barns and out-buildings.

cornice Topmost part of an *entablature*. Also a decorative band found under rooflines.

dentils A band of toothlike blocks ornamenting a *cornice*.

ell A secondary block of a building whose roof ridge runs at a right angle to that of the main block.



entablature Three-part trim consisting of an architrave, frieze, and *cornice*, and found under rooflines (full entablature) and over doors.

facade Face or wall of a building, usually referring to the front wall.

fan A semi-circular or elliptical frame usually filled with radiating wooden louvers above a door or window or in the gable ends.

fanlight A semi-circular or elliptical window, often with radiating dividers or leaded glass patterns, above a door or window or in the gable ends.

flushboard siding Horizontal boards laid flush to create smooth exterior walls.

Foursquare A 2 story tall house built in the early 1900s, nearly square in plan, with a hip roof, full width front porch, and usually a central dormer.

gable roof Pitched roof with two sloping sides that meet at a ridge (the gable being the triangular wall area formed by the roof slopes).

gambrel roof Roof with two double-pitched sloping sides meeting at a ridge.



Georgian plan A 2 or 2 1/2 story house, five bays wide across the eaves side with a room on each side of a central entryway, and two rooms deep.

Gothic wall dormer Steeply pitched dormer whose front is a continuation of the main wall.

ground level stable barn A barn that has its main floor at ground level, a hay loft above, no basement, and often a *gambrel roof*.

half plan house A *Cape Cod*, *Classic Cottage*, *Georgian plan*, or *I-house* that is three bays wide across the eaves side, with the door in the left or right bay.

highdrive A ramp, often enclosed, leading from the ground up to the main level of a barn. Most commonly found on *bank barns*.

high style Having many or all of the characteristics of a particular architectural style.

hip roof Roof with four sloping sides meeting at a point or short ridgeline.



I-house A 2 or 2 1/2 story house, five bays wide across the eaves side, with a central entry, and only one room deep.

jerkinhead roof A gable roof in which the gable peaks are clipped off and inclined backward.

keystone Wedge-shaped center stone in an arch.

kneewall The area between the top of the first floor windows and the eaves of a 1 or 1 1/2 story building.

lintel A horizontal stone, brick, cast-iron, or wooden beam that spans the top of a door or window opening.

Mansard roof Roof with four double-pitched sloping sides, the lower pitch being steeper than the upper.

modillions Small scrolled brackets under the overhanging section of a *cornice*.

oriel window Multi-sided window that projects from a wall and whose base does not reach the ground.

Palladian window Three part window consisting of a round-headed window flanked by two shorter and narrower windows, each part usually being framed by *pilasters* or *columns*.

pavilion with ells plan House form consisting of a main block, generally with a gable front, and flanking matching *ells*.

pediment The triangular wall area inside a gable and framed by *cornices* along all three sides. Also used to mean cornice-framed elements, either triangular or other shapes, found over doors or windows.

pilaster Flat representation of a *column*.

quoins Blocks of stone or other materials found at the corners of buildings. Usually arranged in an alternating pattern of large and small blocks.

raking window Gable end window set at an angle between the roof lines of the main house block and its *wing*.

shed roof Roof with a single slope.



sidehall plan House form with a gable front and main door (leading into a hallway) in the left or right hand bay.

sidelights Narrow vertical windows, usually consisting of small panes or patterned leaded glass, flanking a door.

surround The frame and trim surrounding the sides and top of a door or window.

three-quarter plan house A *Cape Cod*, *Classic Cottage*, *Georgian plan*, or *I-house* four bays wide across the eaves side with a window on one side of the door and two on the other.

transom Row of glass panes located directly above a door.

Tri-Gable Ell Gable front house with an *ell* almost the same height as the main block. Built in late 1800s and early 1900s.

vernacular Having few of the elements or ornamental details characterizing a particular architectural style.

STYLE GUIDE



BUNGALOW

The word *bungalow* comes from India where, in the late 19th century, the British used it to describe low, single-story houses with large verandas well-suited to tropical environments. American bungalows, "homey" early 20th century 1 or 1½ story residences, have broad gable, hip, or jerkinhead roofs, often with dormer windows and deep overhanging eaves, and deep, wide front porches.



COLONIAL REVIVAL

The Colonial Revival style, popular from the late 1800s through the 1930s (and still used today), was derived from American architectural styles of the 18th century. Houses (traditional Georgian, sidehall, or other plans with gable, gambrel, or hip roofs), commercial blocks, and public buildings are decorated with features derived from the earlier styles but distinguishable by their larger scale and often unusual placement on the building. Among the most typical details are Palladian windows, porches with classical columns, doorways topped by fanlights or pediments, and full entablatures under the eaves.

Houses (traditional Georgian, sidehall, or other plans with gable, gambrel, or hip roofs), commercial blocks, and public buildings are decorated with features derived from the earlier styles but distinguishable by their larger scale and often unusual placement on the building. Among the most typical details are Palladian windows, porches with classical columns, doorways topped by fanlights or pediments, and full entablatures under the eaves.



FEDERAL

The Federal style, with its light and delicate detailing inspired by the classical architecture of ancient Rome, was the first major style in Vermont. It was widely used from the late 1700s through the 1830s to

trim churches and the symmetrical gable, hip, or gambrel roof Georgian plan, I-house, or Cape Cod houses of the period. The main stylistic focus is on the entryway: a paneled door often flanked by sidelights and thin columns or pilasters, and crowned by a semi-elliptical fan or fanlight, transom, or delicate entablature. Other features include Palladian windows and molded cornices or entablatures that are sometimes enriched with dentils or fretwork.



FRENCH SECOND EMPIRE

Popular in Vermont during the 1870s and 1880s, the elegant French Second Empire style, used for residences, public buildings, and commercial blocks, is character-

ized by use of the Mansard roof. Other features, shared with the Italianate style, include eavesline brackets, paired windows, and sweeping verandas with chamfered posts and matching brackets.



GOTHIC REVIVAL

The Gothic Revival style was first used in Vermont from the 1820s to 1840s for churches, which were built in the common New England meetinghouse form but with pinnacles and cresting atop belfry

towers and pointed arch windows with diamond panes. Churches from the 1850s to 1870s have the same features but often were built of stone. Houses in the style, irregular in form or symmetrical Classic Cottages built in the 1850s and 1860s, have steeply pitched roofs and wall dormers edged with bargeboards, molded label lintels over windows and doors, and porches with octagonal posts.



GREEK REVIVAL

Inspired by the ancient architecture of Greece, the Greek Revival style was the most popular 19th century style in Vermont, in widespread use from the 1830s through the 1870s, and later in remote rural

areas. Residences (often sidehalls, Georgian plans, or Classic Cottages), churches, courthouses, stores, and other buildings are detailed with pilasters, full entablatures, and pediments. Most of the stylistic emphasis is often on the main entry—a paneled door flanked by sidelights and robust columns or pilasters, and topped by a transom and three part entablature.



ITALIANATE

The Italianate style, influenced by the architecture of Italian countryside villas, became popular in Vermont after the Civil War and was used mainly for houses, commercial blocks, and outbuildings.

Houses are either cube-shaped, with shallow hip roofs and sometimes projecting pavilions or towers, or gable-roofed Georgian or sidehall plans. Features include cornice brackets under overhanging eaves, rooftop cupolas or belvederes, windows that are often paired with arched tops, and porches with chamfered posts and scrolled brackets.



QUEEN ANNE

Gaudy, colorful, and irregular describe the Queen Anne style, popular in Vermont from about 1885 to 1905 for churches, public buildings, commercial blocks, and particularly

for houses. It is identified by its asymmetrical building forms, richly textured wall surfaces, multi-colored paint schemes, unpredictable window spacing, towers, bay windows, gable screens, and porches with turned columns and balusters.

NAME OF SITE	SITE NO	NEGATIVE FILE NO.	N.R.
Rokeby	0105-1	73-A-57	X
Ferrisburg Reformed Church	0105-2		
"Round" Barn	0105-3	75-A-34	
Tucker Residence	0105-4	75-A-34	
The Grange /	0105-5	75-A-36 75-A-34	
Farley Residence	0105-6	75-A-36	
Brace Residence	0105-7	75-A-34	
Mace Residence	0105-8	75-A-34	
Field Residence	0105-9	75-A-35	
Birkett Residence	0105-10	75-A-34	
Chamberlain Residence	0105-11	75-A-34	
LaLumiere Residence	0105-12	75-A-36	
Laberge Residence	0105-13	75-A-34	
Rider Residence	0105-14	75-A-36	
Bodette Residence	0105-15	75-A-28	
Larrow Residence	0105-16	75-A-37	
Old District #8 Schoolhouse	0105-17	75-A-36	
Rollin Larrow Residence	0105-18	75-A-28	
Burnett Residence	0105-19	75-A-36	
Ferrisburg Methodist Church	0105-20	75-A-34	
Thompson Residence	0105-21	75-A-34	
Langeway Residence	0105-22	75-A-36	
Harris Residence	0105-23	75-A-34	
Spade Farmhouse	0105-24	75-A-34	
Field Residence <i>BOOK II</i>	0105-25	75-A-28	X
Rossetti Residence	0105-26	75-A-28	
Melby Residence	0105-27	75-A-34	


640,000
44° 15'

620,000

44° 10'

7
E2C

23



CHITTENDEN COUNTY
CHARLOTTE

ESSEX COUNTY
WESTPORT
HAMILTON
VERMONT

VERMONT
FERRISBURG
(POP. 1875)
MONTICELLO
MOUNTAIN
SHELLHOUSE
FERRISBURG
MUNICIPAL
FOREST

VERGENNES
POP. 2242
NO. 94
DAM

MATCH LINE SHEET 2

MONKTON

22-A

Listed on State Register
 VT ACHP 9 10-80
 Date: _____

STATE OF VERMONT
 Division of Historic Sites
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER 0105-1	
NEGATIVE FILE NUMBER 73-A-57	
LATITUDE 18 640 600	LONGITUDE 48 97 740
U S G S QUAD MAP Monkton Quad., 7.5' series	
PRESENT FORMAL NAME Rokeby	
ORIGINAL FORMAL NAME Same	
PRESENT USE	
ORIGINAL USE	
ARCHITECT/ENGINEER	
BUILDER/CONTRACTOR	
PHYSICAL CONDITION OF STRUCTURE Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME	
STYLE Vernacular Georgian	

COUNTY	Addison
TOWN	Ferrisburg
LOCATION	Route 7, No. Ferrisburg
FUNCTIONAL TYPE	dwelling
COMMON NAME	Rokeby
OWNER	Roland Robinson Foundation
ADDRESS	No Ferrisburg, VT
ACCESSIBILITY TO PUBLIC	Yes <input type="checkbox"/> No <input type="checkbox"/> Restricted <input checked="" type="checkbox"/>
LEVEL OF SIGNIFICANCE	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT	c 1800

GENERAL DESCRIPTION

Structural System

- 1 Foundation Brick Stone Concrete Concrete Block
- 2 Wall Structure
 - a Wood Frame Balloon Western Platform Post & Beam
 - b Load Bearing Masonry Brick Stone Concrete Concrete Block
 - c Iron
 - d Steel
 - e Other
- 3 Wall Covering Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- 4 Roof Structure
 - a Truss Wood Iron Steel Concrete
 - b Vault Brick Stone Concrete
 - c Other
- 5 Roof Covering Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- 6 Engineering Structure
- 7 Other

Appendages Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other

Number of Stories 2

Approximate Dimensions

Roof Style Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other

With Belcast With Parapet With False Front

THREAT TO STRUCTURE
No Threat <input checked="" type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other

LOCAL ATTITUDES
Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION

Five-bay frame house has small pedimented entrance porch addition, double-hung sidelights framing entrance Gable front south wing addition



RELATED STRUCTURES

STATEMENT OF SIGNIFICANCE

Rokeby is significant for its association with Roland Robinson, noted Vermont folklore writer Serving as Robinson's birthplace and boy-hood home, the house still contains a large number of personal and family artifacts The property is open as a house museum daily from 9 to 5 during the summer

Architecturally, Rokeby typifies the symmetrical, five-bay, two-story central-hall Georgian plan house Significant alterations to the structure include wing and porch addition and new windows

MAP (Indicate North In Circle)



SURROUNDING ENVIRONMENT

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other Route 7

RECORDED BY

Terry Winters

ORGANIZATION


VT Division for Historic Pres

DATE RECORDED

6/12/75

Photo -
Copy

POOR QUALITY
ORIGINAL *Sticker
on plastic
coversheet*





VERMONT DIVISION FOR HISTORIC PRESERVATION

CO. ADDISON TOWN FERRISBURG DATE 10/15/23

SUBJECT Rokeby VIEW _____

FILE # 73-A-57 CREDIT S RAICHE

5

Listed on State Register
 VT ACHPO 10-80
 Date: 10-80

STATE OF VERMONT
 Division of Historic Sites
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

COUNTY	Addison
TOWN	Ferrisburg
LOCATION	Route 7, Ferrisburg Center
FUNCTIONAL TYPE	Church
COMMON NAME	Ferrisburg Reformed Ch.
OWNER	Town of Ferrisburg
ADDRESS	
ACCESSIBILITY TO PUBLIC	Yes <input type="checkbox"/> No <input type="checkbox"/> Restricted <input checked="" type="checkbox"/>
LEVEL OF SIGNIFICANCE	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT	1840

SURVEY NUMBER 0105-2	
NEGATIVE FILE NUMBER	
LATITUDE 78° 64' 18.0"	LONGITUDE 48° 9' 03.0"
(NR NOMINATION)	
U S G S QUAD MAP Monkton Quad., 7.5' series	
PRESENT FORMAL NAME Ferrisburg Christian Reformed Church	
ORIGINAL FORMAL NAME Union Meeting House	
PRESENT USE Church	
ORIGINAL USE Church	
ARCHITECT/ENGINEER	
BUILDER/CONTRACTOR	
PHYSICAL CONDITION OF STRUCTURE Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME	
STYLE Federal	

GENERAL DESCRIPTION

Structural System

1 Foundation Brick Stone Concrete Concrete Block

2 Wall Structure

a Wood Frame Balloon Western Platform Post & Beam

b Load Bearing Masonry Brick Stone Concrete
 Concrete Block

c Iron

d Steel

e Other

3 Wall Covering Clapboard Wood Shingle Board & Batten
 Shiplap Novelty Stucco Tile Brick Stone
 Slate Sheet Metal Asphalt Shingle Aluminum

4 Roof Structure

a Truss Wood Iron Steel Concrete

b Vault Brick Stone Concrete

c Other

5 Roof Covering Wood Shingle Asphalt Shingle Tile
 Slate Sheet Metal Paper Built Up Rolled

6 Engineering Structure

7 Other

Appendages Porches Towers Dormers Bay Windows Ells
 Chimneys Cupolas Wings Sheds Other

Number of Stories 1

Approximate Dimensions 25' x 45'

Roof Style Gable Gambrel Flat Shed Hip Mansard
 Jerkinhead Monitor Saw Tooth Other

With Belcast With Parapet With False Front

THREAT TO STRUCTURE

No Threat Zoning Roads
 Development Deterioration
 Other

LOCAL ATTITUDES

Positive Negative Mixed
 Other

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION Three-bay, gable-front Church of American bond brick has extraordinary triple-hung Gothic arched windows with intersecting tracery Two-tiered frame tower has louvered Gothic-arched windows on lower tier and triple louvered windows with ogee-arch wood surround on top tier Two front entrances, slightly recessed, have paneled reveals and doors All windows have stone lug sills

RELATED STRUCTURES


STATEMENT OF SIGNIFICANCE

Not only is this Church a striking example of Federal ecclesiastical architecture, but it is the most important environmental feature of the intersection of Route 7 and Kingsland Bay Road, Ferrisburg's remaining "Town Center" Surrounded by small residences, a Town Clerk's office, school, and various commercial establishments, it is clearly the focal point of the town, both visually and functionally The small green that fronts the church, separating it from Route 7, acts as a forum for many social events

The structure was erected in 1840 by the Union Society It was given to the Town of Ferrisburg in 1898

Source Child, Gazetteer & Business Directory of Addison County, 1881-82

MAP (Indicate North in Circle)




SURROUNDING ENVIRONMENT


- Open Land
- Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other Route 7, Civic Buildings

RECORDED BY Terry Winters

ORGANIZATION VT Division for Historic Pres.

DATE RECORDED 6/12/75





VERMONT DIVISION OF HISTORIC SITES


COUNTY..... TOWN.....

SUBJECT

DATE..... FILE # *unknown*

CREDIT *Wm. Purves*

VIEW



0105-2

Ferrisburg I

COLE INSTRUCTION
25 Main Street
Vergennes, Vermont
702-872-6666



0105-2

Ferrisburg

I

100 Main Street
Ferrisburg, Vermont 05491
Phone: 802-877-3675

COMMUNICATION COMPANY

Listed on State Register

VT ACHP 9-10-80

Date:

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-3

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

48/4894440

640440

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: barn

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE:

COUNTY: Addison

TOWN: Ferrisburg

LOCATION: see map

FUNCTIONAL TYPE: barn

COMMON NAME: "Round" Barn

OWNER: Carl Field

ADDRESS: Ferrisburg, VT

ACCESSIBILITY TO PUBLIC:
Yes No Restricted

LEVEL OF SIGNIFICANCE:
Local State National

DATE BUILT: c. 1910

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 1

Approximate Dimensions: 18' diameter - 25' high

Roof Style: Gable Gambrel Flat Shed Hip Mansard

Jerkinhead Monitor Saw Tooth Other: hipped octagonal

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION: Eighteen-sided barn has irregular openings; 6/6 sash on windows. Slate roof with wooden louvered cupola. First story sided in wood shingles, second story in weathered clapboard. Small, corrugated metal-roofed shed appendage.


RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

One of the most unusual and handsome agricultural structures in the town, the "Round" barn is similar structurally to the round barn on the Langeway property (form #0105-22), suggesting a possible regional type.

Although it appears round, the barn is actually eighteen-sided and was built by Bert Parker, the father of its present owner. It is ingeniously designed so that the cupola is a central silo from which the livestock can feed, their stalls arranged around the core in radiating sections like spokes of a wheel. Hay is stored in a hay loft above and dropped down through trap doors.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

Open Land Woodland
Scattered Buildings
Moderately Built Up
Densely Built Up
Residential Commercial
Agricultural Industrial
Other:

RECORDED BY:

Terry Winters

ORGANIZATION:


VT Division for Historic Pres.


DATE RECORDED:

6/17/75

Photo copy's
of B/w Pic's
B/c Plastic cover had
sticker

POOR QUALITY
ORIGINAL





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Octagonal Barn


DATE 6/75-7/75 FILE # 75-B-10

CREDIT Terry Winters

VIEW East

75-A-34

4



0105-3

Ferrisburg

Round Barn

75-A-34

Terry Winters

AA

STATE OF VERMONT
 Division of Historic Sites
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

Listed on State Register
 VT ACHP 9-10-80
 Date:

SURVEY NUMBER: 0101-4	
NEGATIVE FILE NUMBER: 75-A-34	
LATITUDE 181 640160	LONGITUDE 4896140
U.S.G.S. QUAD. MAP: Monkton Quad., 7.5' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Italianate	

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Route 7, Ferrisburg
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Carson Tucker
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>	
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>	
DATE BUILT:	c. 1865

GENERAL DESCRIPTION:

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure:
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input checked="" type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:

LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:


Three-bay house has corner pilasters, wide entablature with paired pendant consoles on cornice. Smaller brackets of similar design found on one-story entrance porch. Entrance flanked by 3/4 sidelights and topped by simple entablature supported on pilasters. Sash 2/2.

RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

This house is typical of the symmetrical three or five-bay, gable-across house form that appears in the Federal period and persists throughout the nineteenth century and is particularly amenable to the embellishment of the Italianate style by the addition of simple projecting ornaments such as brackets, small porches, bay windows, etc. In a good state of repair, the Tucker residence is endangered, like many neighboring structures, by its placement close to Route 7.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: _____

RECORDED BY: Terry Winters

ORGANIZATION: VT Division for Historic Pres.

DATE RECORDED: 6/11/75



0105-4



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Tucker Residence

DATE 6/75-7/75 FILE # ~~75-0-10~~

CREDIT Terry Winters

VIEW Northeast

75-A-34

4

Listed on State Register
VT ACHP 9-10-80
Date:

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Route 7, Ferrisburg Center
FUNCTIONAL TYPE:	Grange
COMMON NAME:	The Grange
OWNER:	The Grange
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input type="checkbox"/> Restricted <input checked="" type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1870

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
 2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
 3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
 5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
 6. Engineering Structure:
 7. Other:
- Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:
- Number of Stories: 1
- Approximate Dimensions:
- Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:
- With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other:

SURVEY NUMBER:

0105-5

NEGATIVE FILE NUMBER:

75-A-36; 75-A-34

LATITUDE

LONGITUDE

181640120

4896250

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

Ferrisburg Grange #539

ORIGINAL FORMAL NAME:

same

PRESENT USE: Grange

ORIGINAL USE: Grange

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good
Fair Deteriorated

THEME:

STYLE: Victorian Italianate

LOCAL ATTITUDES:

Positive Negative Mixed
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:


Gable-front church has two-tiered louvered tower with copper-sheathed cupola. Paired console brackets along cornice on all elevations. Large carved wooden cartouche above entrance in gable. Side elevations are divided into bays by "pilasters" formed by short, horizontal clapboards. Sash 16/16.

RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

The Grange is a fine example of Victorian wood architecture, featuring a number of interesting ornamental treatments. It demonstrates how the basic Greek Revival gable-front form is embellished and transformed into the Italianate style through the addition of a variety of applied details. Here, these include a cupola, pendant consoles, and a continuous pilaster and cornice motif formed by intersecting wide clapboards.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:


Terry Winters


ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT The Grange

DATE 8/75 FILE # ~~75-B-19~~

75-A-43

CREDIT Terry Winters

VIEW NW

Listed on State Register

VT ACHP

Date:

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602
HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-6

NEGATIVE FILE NUMBER:

75-A-36

LATITUDE

LONGITUDE

181639650

4895980

U.S.G.S. QUAD. MAP:

Port Henry Quad., 15' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE:

ORIGINAL USE:

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Italianate

COUNTY: Addison
TOWN: Ferrisburg
LOCATION: Kingsland Bay Road, Ferrisburg
FUNCTIONAL TYPE: dwelling
COMMON NAME:
OWNER: Roger Farley
ADDRESS: Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National
DATE BUILT: c. 1870

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
 2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
 3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
 5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
 6. Engineering Structure:
 7. Other:
- Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:
- Number of Stories: 2
- Approximate Dimensions: 30'x 20'
- Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:
- With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

- No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

- Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay Italianate dwelling has paneled corner pilasters, box cornice with paired pendant consoles. Hip roof sheathed with patterned slate. Brick interior end chimneys. Door surround composed of denticulated entablature and wide partial sidelights with thin muntins. Small entrance porch addition; attached one-story gable-roofed wing to north consisting of open shed "breezeway" section and asphalt-sided enclosed building.


RELATED STRUCTURES:

Barn

STATEMENT OF SIGNIFICANCE:

The Farley residence is one of several good examples of a characteristic Italianate house type with hip roof and bracketed box cornice. It is located in an area of Ferrisburg that has undergone much "removal" of buildings and is not far from a crucial intersection with Route 7. The house is now (1975) fronted by large earth piles from a construction site and is across the road from the Town Garage. The proximity of these activities may pose a potential threat to the structure.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Construction Site
- Route 7

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

7/16/75



0105-6



75 B-12

7

Listed on State Register

VT ACHP 9-10-80

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-7

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

181643010

4894850

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Deteriorated

THEME:

STYLE: Italianate

COUNTY: Addison

TOWN: Ferrisburg

LOCATION: See map

FUNCTIONAL TYPE: dwelling

COMMON NAME:

OWNER: Phil & Jane Brace

ADDRESS: Box 82
Ferrisburg, VT

ACCESSIBILITY TO PUBLIC:
Yes No Restricted

LEVEL OF SIGNIFICANCE:
Local State National

DATE BUILT: c. 1865

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete
Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten
Shiplap Novelty Stucco Tile Brick Stone
Slate Sheet Metal Asphalt Shingle Aluminum siding
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile
Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells
Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard

Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other:

LOCAL ATTITUDES:

Positive Negative Mixed
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Symmetrical house has small entrance porch supported on posts and ornamented with pendant console brackets. Full-length corner pilasters Sash 2/2.


RELATED STRUCTURES:

Barns, sheds to rear.

STATEMENT OF SIGNIFICANCE:

The Brace House exhibits the classic symmetry of form that characterizes the Federal style and which has been here amended to the Italianate by the use of pendant console brackets, glazed round-arched side-lights flanking the entrance and a wide, paneled entablature. The structure is one of the most significant farmhouses on the road leading east out of Ferrisburg Center. It bears striking resemblance to the Tucker residence (see form #0105-4).

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters


ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75

0105-7





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Brace Residence

DATE 6/75 - 7/75 FILE # ~~75-8-10~~

75-M-34

CREDIT Terry Winters

VIEW SE

4

Listed on State Register
VT ACHP 9-10-80
Date: _____

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Route 7 across from Grange in Ferrisburg Center
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Calla Mace
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1850

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
 2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
 3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
 5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
 6. Engineering Structure:
 7. Other:
- Appendages: Porches Towers Dormers Bay Windows Eaves
Chimneys Cupolas Wings Sheds Other:
- Number of Stories: 1½
Approximate Dimensions: 30'x 25'
Roof Style: Gable Gambrel Flat Shed Hip Mansard
Jerkinhead Monitor Saw Tooth Other:
With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other:

SURVEY NUMBER:

0105-8

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

181640280

4896560

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Vernacular Federal/Greek Revival

LOCAL ATTITUDES:

Positive

Negative

Mixed

Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Five-bay, frame cottage has eyebrow windows cut off by eaves and true second story. Cap molded window entablatures and door entablature. Thin pilasters flank door. Door recessed into slight umbrage lined with panelling. Thin 3/4 sidelights frame door. One-story south wing with porch supported on baluster-turned posts. Small rear ell addition.


RELATED STRUCTURES:

Barns

STATEMENT OF SIGNIFICANCE:

The Mace residence exhibits the classic five-bay, central hall plan that persists throughout the 19th century in rural Vermont. It blends both vernacular Federal details (thin pilasters and cap molded door surround and skinny sidelights) and Greek Revival (pronounced eaves returns on gable ends and the recessed placement of the door into its surround).

MAP: (Indicate North In Circle)




SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY: Terry Winters

ORGANIZATION: VT Division for Historic Pres.

DATE RECORDED: 6/17/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Mace Residence

DATE 6/75-7/75 FILE # ~~75-B-10~~

CREDIT Terry Winters

VIEW NE

75-A-34

4

Listed on State Register

VT ACHP 9-10-80

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	See map
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Carl Field
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input type="checkbox"/> State <input type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1820
GENERAL DESCRIPTION:	<p>Structural System</p> <p>1. Foundation: Brick <input type="checkbox"/> Stone <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Concrete Block <input type="checkbox"/></p> <p>2. Wall Structure</p> <p>a. Wood Frame: Balloon <input type="checkbox"/> Western Platform <input type="checkbox"/> Post & Beam <input checked="" type="checkbox"/></p> <p>b. Load Bearing Masonry: Brick <input type="checkbox"/> Stone <input type="checkbox"/> Concrete <input type="checkbox"/> Concrete Block <input type="checkbox"/></p> <p>c. Iron <input type="checkbox"/></p> <p>d. Steel <input type="checkbox"/></p> <p>e. Other:</p> <p>3. Wall Covering: Clapboard <input checked="" type="checkbox"/> Wood Shingle <input type="checkbox"/> Board & Batten <input type="checkbox"/> Shiplap <input type="checkbox"/> Novelty <input type="checkbox"/> Stucco <input type="checkbox"/> Tile <input type="checkbox"/> Brick <input type="checkbox"/> Stone <input type="checkbox"/> Slate <input type="checkbox"/> Sheet Metal <input type="checkbox"/> Asphalt Shingle <input type="checkbox"/> Aluminum <input type="checkbox"/></p> <p>4. Roof Structure</p> <p>a. Truss: Wood <input checked="" type="checkbox"/> Iron <input type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/></p> <p>b. Vault: Brick <input type="checkbox"/> Stone <input type="checkbox"/> Concrete <input type="checkbox"/></p> <p>c. Other:</p> <p>5. Roof Covering: Wood Shingle <input type="checkbox"/> Asphalt Shingle <input checked="" type="checkbox"/> Tile <input type="checkbox"/> Slate <input type="checkbox"/> Sheet Metal <input type="checkbox"/> Paper <input type="checkbox"/> Built Up <input type="checkbox"/> Rolled <input type="checkbox"/></p> <p>6. Engineering Structure:</p> <p>7. Other:</p> <p>Appendages: Porches <input type="checkbox"/> Towers <input type="checkbox"/> Dormers <input type="checkbox"/> Bay Windows <input type="checkbox"/> Ells <input checked="" type="checkbox"/> Chimneys <input checked="" type="checkbox"/> Cupolas <input type="checkbox"/> Wings <input type="checkbox"/> Sheds <input type="checkbox"/> Other:</p> <p>Number of Stories: 1½</p> <p>Approximate Dimensions:</p> <p>Roof Style: Gable <input type="checkbox"/> Gambrel <input type="checkbox"/> Flat <input type="checkbox"/> Shed <input type="checkbox"/> Hip <input type="checkbox"/> Mansard <input type="checkbox"/> Jerkinhead <input type="checkbox"/> Monitor <input type="checkbox"/> Saw Tooth <input type="checkbox"/> Other:</p> <p>With Belcast <input type="checkbox"/> With Parapet <input type="checkbox"/> With False Front <input type="checkbox"/></p>
THREAT TO STRUCTURE:	No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:

SURVEY NUMBER: 0105-9	
NEGATIVE FILE NUMBER: 75-A-35	
LATITUDE 181640380	LONGITUDE 4894480
U.S.G.S. QUAD. MAP: Monkton Quad., 7.5' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Vernacular Georgian	
LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:	

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Classic Georgian cottage has central brick chimney, doorway with simple entablature and small transom light. 2/2 sash.


RELATED STRUCTURES:

Garage

STATEMENT OF SIGNIFICANCE:

This house is another good example of an early vernacular Georgian frame dwelling, of which there are many examples in rural Vermont.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/17/75



0105-9



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Field Residence

DATE 8/75 FILE # ~~75-B-H~~

CREDIT Terry Winters

VIEW _____

75-A-35

Listed on State Register

VT ACHP 9-10-80

Date: _____

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER: 0105-10	
NEGATIVE FILE NUMBER: 75-A-35	
LATITUDE 18/640640	LONGITUDE 4894680
U.S.G.S. QUAD. MAP: Monkton Quad., 7.5' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input type="checkbox"/> Fair <input checked="" type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE Vernacular Georgian & Greek	

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	See map
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Charles Birkett
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1820 & 1845

GENERAL DESCRIPTION: Revival

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure:
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 1½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:
--

LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:


Classic, three-bay Greek Revival cottage has wide entablature, corner pilasters and classic door surround consisting of wide entablature and flanking pilasters. Two one-story wings. North wing was original house on site; has assymetrical bays and central brick chimney.

RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

Another early farmhouse in Ferrisburg, this structure typifies the basic three-bay, one-and-a-half-story central-hall Greek Revival house with symmetrical end chimneys and simple vernacular details (pilasters, eaves returns and entablature, etc.) which was added to an earlier vernacular Georgian construction, as the owners of the property grew more prosperous. The house has been in the current owner's family for many years. It belonged to John Birkett, a live-stock dairy and merino sheep farmer, in the late 19th century.

MAP: (Indicate North in Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:


Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/17/75



0105-1c



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Birkett Residence

DATE 6/75-7/75 FILE # ~~75-8-10~~

CREDIT Terry Winters

VIEW NE

75-A-34

4

Listed on State Register
 VT ACHP 9-10-80
 Date: 9-10-80

STATE OF VERMONT
 Division of Historic Sites
 Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
 Individual Structure Survey Form

SURVEY NUMBER: 0105-11	
NEGATIVE FILE NUMBER: 75-A-34	
LATITUDE 18/641550	LONGITUDE 41895780
U.S.G.S. QUAD. MAP: Monkton Quad., 7.5' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Federal/Greek Revival	

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Collins Road, Ferrisburg
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	David Chamberlain
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	1843

GENERAL DESCRIPTION:

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure:
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:
--

LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay, gable-front brick house has stone lintels and lugsills on windows, 1/1 sash. Symmetrical interior end chimneys. Rear ell with small porch. Small entrance porch.

RELATED STRUCTURES:

Barns, garage.


STATEMENT OF SIGNIFICANCE:

This fine brick farmhouse is of a type exemplified in other Ferrisburg examples (see form #0105-46, the Sisters Residence). Both buildings share the classic three-bay, side-hall Greek Revival plan and delicate brick coursing under the eaves, as well as the use of American bond brick construction and stone lintels and lugsills on windows.

The structure was built by Loren Orvis, one of the earliest settlers of Ferrisburg, in 1843. At the age of 75, he insisted on drawing brick from a neighboring brickyard for its construction with the aid of two colts, rather than trust hired workers.

Source: Childs, Gazetteer and Business Directory of Addison County, 1881-82.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:


Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Chamberlain Residence

DATE 6/75-7/75 FILE # 75-B-10

75-A-34

CREDIT Terry Winters

VIEW S

4

Listed on State Register

VT ACHP

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-12

NEGATIVE FILE NUMBER:

75-A-36

LATITUDE

LONGITUDE

18/642 860 4892600

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

J.O. Middlebrooks

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Deteriorated

THEME:

STYLE: Greek Revival

COUNTY: Addison

TOWN: Ferrisburg

LOCATION: Monkton Road, Ferrisburg

FUNCTIONAL TYPE: dwelling

COMMON NAME:

OWNER: Peter LaLumiere

ADDRESS: Ferrisburg, VT

ACCESSIBILITY TO PUBLIC:
Yes No Restricted

LEVEL OF SIGNIFICANCE:
Local State National

DATE BUILT: 1860

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 1½

Approximate Dimensions: 30' x 25'

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Five-bay frame house has classic Greek Revival details: a wide entablature, corner pilasters, and a classic door surround consisting of wide pilasters supporting a full entablature. Elongated 6/6 windows extend almost to foundation level. Symmetrical one-story ells and porch additions; porch covers facade and partially covers side elevations, has chamfered column supports, entablature with dentil-like projections and scroll-sawn valence-board. Former woodshed annexed to form rear ell.

RELATED STRUCTURES:

Barns, garage

STATEMENT OF SIGNIFICANCE:

The LaLumiere residence was built by J.O. Middlebrooks, prosperous farmer and earlier settler of Ferrisburg, as a wedding present for his daughter. It has been in the present owner's family for 17 years.

As well as serving as an excellent example of the prototypical rural Greek Revival central hall house with classic exterior details, the house features extraordinary interior cabinetry, raising it out of the vernacular category. Different door and window surrounds were crafted in every room, much in the same manner as Southern plantation house interiors. These varied treatments range from standard wood-grained peaked Greek Revival lintels, to a very wide, rounded version of the shouldered architrave label, to panelled and gauged labels with Greek Fret motifs and keystones.

The future of the house is precarious, due to plans for a two-lane highway from Rutland to Burlington which would bisect the house from its surrounding lands. This road is scheduled to be under construction shortly (1975).


Source: Mrs. Peter LaLumiere, owner.

MAP: (Indicate North In Circle)



FERRISBURG CENTER

TO MONKTON →



LA LUMIERE RESIDENCE

Burnett Residence

SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:


Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

7/16/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT LaLumiere Residence

DATE 8/75 FILE # ~~75-B-12~~

75-A-36

CREDIT Terry Winters

VIEW SW

Listed on State Register
VT ACHP
Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Collins Road, Ferrisburg
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Richard LaBerge
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1810 & 1850

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
 2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other: _____
 3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum _____ and aluminum siding
 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other: _____
 5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
 6. Engineering Structure:
 7. Other: _____
- Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other: _____
- Number of Stories: 1½
- Approximate Dimensions:
- Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other: _____
- With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other: _____

SURVEY NUMBER:

0105-13

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

181641080

LONGITUDE

4895980

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good
Fair Deteriorated

THEME:

STYLE: Vernacular Georgian & Greek
Revival

LOCAL ATTITUDES:

Positive Negative Mixed
Other: _____

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Classic three-bay Greek Revival gable-front house has wide entablature, corner pilasters and eaves returns. Sash 6/6. Greek Revival mainblock annexed to one-and-a-half-story older section with eyebrow windows.

RELATED STRUCTURES:

Barns, sheds


STATEMENT OF SIGNIFICANCE:

The LaBerge residence reflects the growth in prosperity of early Ferrisburg settlers by the widespread solution to home enlargement: the annexing of a larger, more "stylish" Greek Revival house to a pre-existent one-and-a-half-story dwelling. The old section of the structure features the assymetrical bays, central chimney, low-studded walls, and eyebrow windows of the vernacular Georgian type, a widespread late 18th and early 19th houseform in rural Vermont.

The house's present owners have reconsolidated the entire structure since it was acquired several years ago. Only the frame of the building remains intact.

Source: Mrs. Richard LaBerge, Ferrisburg, VT.

MAP: (Indicate North In Circle)



FERRISBURG
CENTER
← 1/4 mi.

COLLINS RD



Cemetery

LABERGE
RESIDENCE

Chamberlain
Residence

SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisberg

SUBJECT La Berge Residence

DATE 6/75-7/75 FILE # ~~75-B-10~~

75-A-34

CREDIT Terry Winters

VIEW SE

4

Listed on State Register

VT ACHP

Date:

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-14

NEGATIVE FILE NUMBER:

75-A-36

LATITUDE

LONGITUDE

18/639980

4894340

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: Inn

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

Tupper

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Federal

COUNTY: Addison
TOWN: Ferrisburg
LOCATION: Route 7, South of Ferrisburg
Center
FUNCTIONAL TYPE: dwelling
COMMON NAME:
OWNER: William Rider
ADDRESS: Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National
DATE BUILT: c. 1845

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete
Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten
Shiplap Novelty Stucco Tile Brick Stone
Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile
Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells
Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard
Jerkinhead Monitor Saw Tooth Other:
With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other: Commercial Development

LOCAL ATTITUDES:

Positive Negative Mixed
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay brick house has one-story porch addition extending across facade. Entrance capped by simple entablature and flanked by 3/4 sidelights. Quarter blind fanlights in gable-ends, (accommodating symmetrical end chimneys). Rear clapboard ell.

RELATED STRUCTURES:

Barn


STATEMENT OF SIGNIFICANCE:

Sited on a slight rise overlooking Route 7, the Rider residence is a striking visual component of South Ferrisburg, and one which provides relief from the open, barren roadside that frames this high speed artery. Its proximity to the road and to the strip development-oriented commercial growth (e.g. neighboring "Wienerburger" Restaurant) places it in potential environmental danger.

The structure served as a former stage stop on the old route to Vergennes.

Source: Mr. Arthur Thompson, Ferrisburg Center.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Rider Residence

DATE 8/95 FILE # 75-A-36

CREDIT Terry Winters

VIEW NW

Listed on State Register

VT ACHP

Date:

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-15

NEGATIVE FILE NUMBER:

75-A-28

LATITUDE

LONGITUDE

1814894375

639325

U.S.G.S. QUAD. MAP:

Port Henry Quad., 15' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Federal / Greek Revival

COUNTY: Addison
 TOWN: Ferrisburg
 LOCATION: Kingsland Bay Road
 FUNCTIONAL TYPE: dwelling
 COMMON NAME:
 OWNER: Harland Bodette
 ADDRESS: Ferrisburg, VT
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National
 DATE BUILT: c. 1840

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:
With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay, gable-front brick house of American bond construction has heavy stone lintels and lugsills on 6/6 windows. Entrance capped by denticulated entablature, framed by 3/4 sidelights. Greek Fret-incised motif on door. Louvered triangular vent in gable end.


RELATED STRUCTURES:

Barns, sheds.

STATEMENT OF SIGNIFICANCE:

This striking Greek Revival house strongly resembles several other brick constructions of the same type in Ferrisburg (see forms #0105-46, 0105-24, 0105-11). It is of a basic vernacular Greek Revival type—the three-bay, gable-front, sidehall plan house.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/12/75



0105-15



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Bodette Residence

DATE 6/75 FILE # ~~75-B-4~~

75-A-28

CREDIT Terry Winters

VIEW NE

Listed on State Register

VT ACHP 9-10-80
Date:

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER: 0105-16	
NEGATIVE FILE NUMBER: 75-A-37	
LATITUDE 181639050	LONGITUDE 4894875
U.S.G.S. QUAD. MAP: Port Henry Quad., 15' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Federal	

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	See map
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Leslie Larrow
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1855

GENERAL DESCRIPTION:

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile on main block
on wing—Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure:
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2½

Approximate Dimensions: 28'x 15'

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:
No Threat <input checked="" type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/>
Development <input type="checkbox"/> Deterioration <input type="checkbox"/>
Other:

LOCAL ATTITUDES:
Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/>
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay Federal house has interior end chimneys, heavy stone lintels over door and windows. Frame wing to north.

RELATED STRUCTURES:

Barns, "Windmill Pump"


STATEMENT OF SIGNIFICANCE:

This classic brick farmhouse is a good example of Federal proportions and is almost lacking in stylistic detail, giving it a very simple, basic appearance. Although a date for its construction is not substantiated, it is documented that its builder, David Smith, settled in Ferrisburg in 1851.

Smith, a wealthy financier who owned interests in New York State iron mines, also built what is believed to be a unique structure of its type in Vermont, the "Windmill Pump," which still stands on the Larrow property. Built in about 1885, it originally operated by wind power via vanes radiating from a circular axis at the top of the structure. An observation deck and ladder once provided access to its apex. The pump is currently inoperative and covered with vines,

Source: Smith, History of Addison County-1886.

Child, Gazetteer & Business Directory of Addison County, 1881-2



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY: Terry Winters

ORGANIZATION: VT Division for Historic Pres.

DATE RECORDED: 6/13/75



0105-16



75-B-13

2

Listed on State Register

VT ACHPO

Date:

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

COUNTY: Addison	SURVEY NUMBER: 0105-17
TOWN: Ferrisburg	NEGATIVE FILE NUMBER: 75-A-36
LOCATION: Kingsland Bay Road	LATITUDE: 18/638850
FUNCTIONAL TYPE: school	LONGITUDE: 48 95400
COMMON NAME:	U.S.G.S. QUAD. MAP: Port Henry Quad., 15' series
OWNER: James C. Gullion	PRESENT FORMAL NAME:
ADDRESS: Ferrisburg, VT	ORIGINAL FORMAL NAME:
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>	PRESENT USE: residence
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>	ORIGINAL USE: school
DATE BUILT: c. 1840	ARCHITECT/ENGINEER:
GENERAL DESCRIPTION: Structural System	BUILDER/CONTRACTOR:
1. Foundation: Brick <input type="checkbox"/> Stone <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Concrete Block <input type="checkbox"/>	PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input type="checkbox"/> Fair <input checked="" type="checkbox"/> Deteriorated <input type="checkbox"/>
2. Wall Structure	THEME:
a. Wood Frame: Balloon <input type="checkbox"/> Western Platform <input type="checkbox"/> Post & Beam <input type="checkbox"/>	STYLE: Greek Revival
b. Load Bearing Masonry: Brick <input checked="" type="checkbox"/> Stone <input type="checkbox"/> Concrete <input type="checkbox"/> Concrete Block <input type="checkbox"/>	
c. Iron <input type="checkbox"/>	
d. Steel <input type="checkbox"/>	
e. Other:	
3. Wall Covering: Clapboard <input type="checkbox"/> Wood Shingle <input type="checkbox"/> Board & Batten <input type="checkbox"/> Shiplap <input type="checkbox"/> Novelty <input type="checkbox"/> Stucco <input type="checkbox"/> Tile <input type="checkbox"/> Brick <input checked="" type="checkbox"/> Stone <input type="checkbox"/> Slate <input type="checkbox"/> Sheet Metal <input type="checkbox"/> Asphalt Shingle <input type="checkbox"/> Aluminum <input type="checkbox"/>	
4. Roof Structure	
a. Truss: Wood <input checked="" type="checkbox"/> Iron <input type="checkbox"/> Steel <input type="checkbox"/> Concrete <input type="checkbox"/>	
b. Vault: Brick <input type="checkbox"/> Stone <input type="checkbox"/> Concrete <input type="checkbox"/>	
c. Other:	
5. Roof Covering: Wood Shingle <input type="checkbox"/> Asphalt Shingle <input type="checkbox"/> Tile <input type="checkbox"/> Slate <input checked="" type="checkbox"/> Sheet Metal <input type="checkbox"/> Paper <input type="checkbox"/> Built Up <input type="checkbox"/> Rolled <input type="checkbox"/>	
6. Engineering Structure:	
7. Other:	
Appendages: Porches <input type="checkbox"/> Towers <input type="checkbox"/> Dormers <input type="checkbox"/> Bay Windows <input type="checkbox"/> Ells <input checked="" type="checkbox"/> 1 Chimneys <input checked="" type="checkbox"/> Cupolas <input type="checkbox"/> Wings <input type="checkbox"/> Sheds <input type="checkbox"/> Other: Garages	
Number of Stories: 1	
Approximate Dimensions: Main block = 15'x 20'	
Roof Style: Gable <input checked="" type="checkbox"/> Gambrel <input type="checkbox"/> Flat <input type="checkbox"/> Shed <input type="checkbox"/> Hip <input type="checkbox"/> Mansard <input type="checkbox"/> Jerkinhead <input type="checkbox"/> Monitor <input type="checkbox"/> Saw Tooth <input type="checkbox"/> Other:	
With Belcast <input type="checkbox"/> With Parapet <input type="checkbox"/> With False Front <input type="checkbox"/>	
THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:	LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Two-bay, gable-front brick school has had one of two original entrances infilled with brick; other remains, capped by granite lintel. Close-cropped eaves and small returns with decorative brick coursing along cornice. Large brick chimney. East elevations has group of four large 12/12 windows with thin stone lintels and lugsills.. Attached garage and small frame wing additions.


RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

This structure, now converted to a residence, was the former District #8 School, and is one of the few remaining schoolhouses in Ferrisburg. The brick for its construction may have been supplied by the neighboring J.R. Barnum Brickyard, located about 1/2 mile northwest of the school.

Source: Beers, Atlas of Addison County, 1871.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters


ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

7/16/75

0105-17





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Old District #8 Schoolhouse

DATE 8/75 FILE # ~~75-B-12~~

75-A-36

CREDIT Terry Winters

VIEW N

Listed on State Register

VT ACHP 9-10-80

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER: 0105-18	
NEGATIVE FILE NUMBER: 75-A-28	
LATITUDE 181639475	LONGITUDE 4895550
U.S.G.S. QUAD. MAP: Port Henry Quad., 15' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: residence	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Greek Revival	

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Kingsland Bay Road
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	
OWNER:	Rollin Larrow
ADDRESS:	Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1820

GENERAL DESCRIPTION:

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure: on wing
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 1½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input checked="" type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:

LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Irregularly bayed frame house has central chimney, eyebrow windows under eaves. Doorway has high entablature and flanking pilasters.


RELATED STRUCTURES:

Barns

STATEMENT OF SIGNIFICANCE:

This house typifies the early vernacular one-and-a-half-story Greek Revival house plan that is a continuation of vernacular Georgian architecture and its characteristic details (e.g. assymetrical bays, central hearth, eyebrow windows).

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:


Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

0105-18





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Rollin Harrow Residence

DATE 6/75 FILE # 75-B-4

CREDIT Terry Winters

VIEW

75-A-28

Listed on State Register

VT ACHP

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-19

NEGATIVE FILE NUMBER:

75-A-36

LATITUDE

LONGITUDE

18/642620

4892480

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Italianate

COUNTY: Addison

TOWN: Ferrisburg

LOCATION:

See map

FUNCTIONAL TYPE: dwelling

COMMON NAME:

OWNER: Marcel Burnett

ADDRESS: R.D. #2

Vergennes, VT

ACCESSIBILITY TO PUBLIC:

Yes No Restricted

LEVEL OF SIGNIFICANCE:

Local State National

DATE BUILT: c. 1865

GENERAL DESCRIPTION:

Structural System

- 1. Foundation: Brick Stone Concrete Concrete Block
- 2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
- 3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- 4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
- 5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- 6. Engineering Structure:
- 7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2

Approximate Dimensions: 25'x 25'

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Balcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay, square main block has panelled corner pilasters, box cornice with paired pendant consoles and small brackets between them. Molded window lintels (variant of shouldered architrave). Bay window on ground story. Doorway has plain surround with frosted glass transom light. Small, bracketed entrance porch. Central brick chimney. One-story south wing with enclosed porch.


RELATED STRUCTURES:

Gambrel and Ogee-roofed barns and silo

STATEMENT OF SIGNIFICANCE:

The Burnett residence is another good example of the prototypical hip-roofed, box-like Italianate house form with bracketed cornice. (see forms #0105-4, 0105-6, and 0105-7 for other area variants of this stylistic type).

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: _____

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/75



0105-19



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Burnett Residence

DATE 8/75 FILE # ~~75-B-12~~

75-A-36

CREDIT Terry Winters

VIEW W

Listed on State Register

VT ACHP 9-10-80
Date: _____

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-20

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

181640150

4896300

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

Ferrisburg United Methodist Church

ORIGINAL FORMAL NAME:

same

PRESENT USE: Church

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Deteriorated

THEME:

STYLE: Vernacular Queen Anne

COUNTY: Addison
TOWN: Ferrisburg
LOCATION: Route 7, Ferrisburg Center
FUNCTIONAL TYPE: Church
COMMON NAME: Ferrisburg Meth. Church
OWNER: Methodist Congregation of
ADDRESS: Ferrisburg
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National
DATE BUILT: c. 1900

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other: _____ and _____
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other: _____
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other: _____

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other: _____

Number of Stories: 1½

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other: _____
With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other: _____

LOCAL ATTITUDES:

Positive Negative Mixed Other: _____

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Assymmetrically-massed church has intersecting gable roof, imbricated wood shingle and horizontal clapboard wall treatment with timber string courses and corner boards. Pointed triangular windows with stained glass. Entrance set into tower which terminates in high ornate belfry and slate-sheathed spire.

RELATED STRUCTURES:


STATEMENT OF SIGNIFICANCE:

The Methodist Church is one of several significant examples of different architectural styles and functional types that line Route 7 in Ferrisburg Center. The church is well cared for and a fine visual contrast to the Grange which neighbors it to the south.

Architecturally, it exemplifies the more subdued expression that the Queen Anne Style takes in rural Vermont, where the assymetrical massing and wide range of textures, materials and design elements that one associates with true Queen Anne buildings are played down, creating a less complex structure.

WHAT? →

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY:


Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75





WESLEYAN METHODIST CHURCH
SUNDAY SERVICE
9:30 A.M.
SERMON
I BELIEVE
PASTOR RICHARD T. BROWN, JR.
ORGANIST HENRY HANBETT

VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Ferrisburg Methodist Church

DATE 6/75-7/75 FILE # ~~75-B-10~~

75-A-34

CREDIT Terry Winters

VIEW NW

4

Listed on State Register

VT ACHP 9-10-80
Date: _____

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER: 0105-21	
NEGATIVE FILE NUMBER: 75-A-34	
LATITUDE: 181640280	LONGITUDE: 4896620
U.S.G.S. QUAD. MAP: Monkton Quad., 7.5' series	
PRESENT FORMAL NAME:	
ORIGINAL FORMAL NAME:	
PRESENT USE: residence	
ORIGINAL USE: same	
ARCHITECT/ENGINEER:	
BUILDER/CONTRACTOR:	
PHYSICAL CONDITION OF STRUCTURE: Excellent <input type="checkbox"/> Good <input checked="" type="checkbox"/> Fair <input type="checkbox"/> Deteriorated <input type="checkbox"/>	
THEME:	
STYLE: Greek Revival	

COUNTY: Addison
TOWN: Ferrisburg
LOCATION: Route 7, Ferrisburg Center
FUNCTIONAL TYPE: dwelling
COMMON NAME:
OWNER: Mr. & Mrs. Arthur Thompson
ADDRESS: Ferrisburg, Vermont
ACCESSIBILITY TO PUBLIC: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE: Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT: c. 1847

GENERAL DESCRIPTION:

Structural System

- Foundation: Brick Stone Concrete Concrete Block
- Wall Structure
 - Wood Frame: Balloon Western Platform Post & Beam
 - Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - Iron
 - Steel
 - Other:
- Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
- Roof Structure
 - Truss: Wood Iron Steel Concrete
 - Vault: Brick Stone Concrete
 - Other:
- Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
- Engineering Structure:
- Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories:

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE: No Threat <input type="checkbox"/> Zoning <input type="checkbox"/> Roads <input type="checkbox"/> Development <input type="checkbox"/> Deterioration <input type="checkbox"/> Other:
--

LOCAL ATTITUDES: Positive <input type="checkbox"/> Negative <input type="checkbox"/> Mixed <input type="checkbox"/> Other:
--

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay, gable-front house has corner pilasters. "Sunburst" pattern in pediment formed by boards radiating from triangular central panel. Doorway entablature has denticulated cornice and is supported by pilasters. 3/4 sidelights frame door. Sash 6/6. One-story north wing with enclosed front porch.


RELATED STRUCTURES:

STATEMENT OF SIGNIFICANCE:

The Thompson residence exemplifies the three-bay, gable-front, side-hall Greek Revival house plan of which there are many examples in Ferrisburg and throughout rural Vermont. The most striking feature of the house is the "sunburst" in the pedimented gable, formed by radiating clapboards.

Like several other neighboring structures, the house is endangered by its proximity to Route 7.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other:

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/11/75



0105-21



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Thompson Residence

DATE 6/75-7/75 FILE # ~~75-B-10~~

CREDIT Terry Winters

VIEW SE

75-A-34

4

Listed on State Register

VT ACHP

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-22

NEGATIVE FILE NUMBER:

75-A-36

LATITUDE

LONGITUDE

18140620

4897780

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent Good

Fair Deteriorated

THEME:

STYLE: Federal

COUNTY: Addison
 TOWN: No. Ferrisburg
 LOCATION: Route 7, North Ferrisburg (near Rokeby)
 FUNCTIONAL TYPE: dwelling
 COMMON NAME:
 OWNER: Allen Langeway
 ADDRESS: No. Ferrisburg, Vt
 ACCESSIBILITY TO PUBLIC:
 Yes No Restricted
 LEVEL OF SIGNIFICANCE:
 Local State National
 DATE BUILT: c. 1835

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells
Chimneys Cupolas Wings Sheds Other: Balustrade

Number of Stories: 2

Approximate Dimensions: Main block = 20'x 20'

Roof Style: Gable Gambrel Flat Shed Hip Mansard
Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads
Development Deterioration
Other:

LOCAL ATTITUDES:

Positive Negative Mixed
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay, square brick house has solid wood roof balustrade. Heavy stone lintels cap windows and entrance; stone lugsills on windows. Original sash 6/6. Federal doorway has very thin sidelights and transom window. Brick portion of house is attached to a one-and-a-half-story frame gable-roofed ell with a small front porch.

RELATED STRUCTURES:


Barns, round barn.

STATEMENT OF SIGNIFICANCE:

A striking architectural feature on Route 7 in North Ferrisburg, the Langeway residence is an unusual brick house that differs from others in the Ferrisburg area in proportions and detailing. The facade resembles the three-bay side-entrance, stone lintel-capped window type of which there are several surrounding examples, but the flat roof, topped by a solid timber balustrade and a square configuration give the house a unique appearance.

The property also includes a large round asphalt-sheathed barn with a central round monitor roof projection. (see form #0105-3).

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/12/75

0105-22

Listed on State Register

VT ACHP

Date:

9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-23

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

181640750

4898300

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Greek Revival

COUNTY: Addison
TOWN: Ferrisburg
LOCATION: Route 7, Ferrisburg
FUNCTIONAL TYPE: dwelling
COMMON NAME:
OWNER: Clifford Harris
ADDRESS: Ferrisburg, VT
ACCESSIBILITY TO PUBLIC:
Yes No Restricted
LEVEL OF SIGNIFICANCE:
Local State National
DATE BUILT: c. 1845

GENERAL DESCRIPTION:
Structural System
1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
a. Wood Frame: Balloon Western Platform Post & Beam
b. Load Bearing Masonry: Brick Stone Concrete
Concrete Block
c. Iron
d. Steel
e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten
Shiplap Novelty Stucco Tile Brick Stone
Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
a. Truss: Wood Iron Steel Concrete
b. Vault: Brick Stone Concrete
c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile
Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:
Appendages: Porches Towers Dormers Bay Windows Ells
Chimneys Cupolas Wings Sheds Other:
Number of Stories: 1½
Approximate Dimensions:
Roof Style: Gable Gambrel Flat Shed Hip Mansard
Jerkinhead Monitor Saw Tooth Other:
With Belcast With Parapet With False Front

THREAT TO STRUCTURE:
No Threat Zoning Roads
Development Deterioration
Other:

LOCAL ATTITUDES:
Positive Negative Mixed
Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

T-Plan Greek Revival house has gable-front central section flanked by a symmetrical one-story gable-roofed wings. Main section has corner pilasters and eaves returns.


RELATED STRUCTURES:

Barn & Sheds

STATEMENT OF SIGNIFICANCE:

The Harris residence exhibits a Greek Revival house form of which there are few remaining examples, either vernacular or high style, in the county: the T-plan house. In its vernacular form, symmetrical wings are frequently the same height as the central, gable-front section of the structure, which they flank. More high style expressions of the T-plan house often feature a portico or temple facade on the main block of two or two-and-a-half-story, and shorter flanking wings of one or one-and-a-half-story. (A good example of the latter type is the Old Brookside Dairy Farm on Route 22A in Orwell, VT).

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/12/75





VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Harris Residence

DATE 6/75 - 7/75 FILE # 75-B-10

75-A-34

CREDIT Terry Winters

VIEW W

4

Listed on State Register

VT ACHP

Date: 9-10-80

STATE OF VERMONT
Division of Historic Sites
Montpelier, VT 05602

HISTORIC SITES & STRUCTURES SURVEY
Individual Structure Survey Form

SURVEY NUMBER:

0105-24

NEGATIVE FILE NUMBER:

75-A-34

LATITUDE

LONGITUDE

181641180

4899580

U.S.G.S. QUAD. MAP:

Monkton Quad., 7.5' series

PRESENT FORMAL NAME:

ORIGINAL FORMAL NAME:

PRESENT USE: residence

ORIGINAL USE: same

ARCHITECT/ENGINEER:

BUILDER/CONTRACTOR:

PHYSICAL CONDITION OF STRUCTURE:

Excellent

Good

Fair

Deteriorated

THEME:

STYLE: Greek Revival

COUNTY:	Addison
TOWN:	Ferrisburg
LOCATION:	Route 7, Ferrisburg (north)
FUNCTIONAL TYPE:	dwelling
COMMON NAME:	Old Spade Farm
OWNER:	Pete Katz
ADDRESS:	
ACCESSIBILITY TO PUBLIC:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Restricted <input type="checkbox"/>
LEVEL OF SIGNIFICANCE:	Local <input checked="" type="checkbox"/> State <input checked="" type="checkbox"/> National <input type="checkbox"/>
DATE BUILT:	c. 1845

GENERAL DESCRIPTION:

Structural System

1. Foundation: Brick Stone Concrete Concrete Block
2. Wall Structure
 - a. Wood Frame: Balloon Western Platform Post & Beam
 - b. Load Bearing Masonry: Brick Stone Concrete Concrete Block
 - c. Iron
 - d. Steel
 - e. Other:
3. Wall Covering: Clapboard Wood Shingle Board & Batten Shiplap Novelty Stucco Tile Brick Stone Slate Sheet Metal Asphalt Shingle Aluminum
4. Roof Structure
 - a. Truss: Wood Iron Steel Concrete
 - b. Vault: Brick Stone Concrete
 - c. Other:
5. Roof Covering: Wood Shingle Asphalt Shingle Tile Slate Sheet Metal Paper Built Up Rolled
6. Engineering Structure:
7. Other:

Appendages: Porches Towers Dormers Bay Windows Ells Chimneys Cupolas Wings Sheds Other:

Number of Stories: 2

Approximate Dimensions:

Roof Style: Gable Gambrel Flat Shed Hip Mansard

Jerkinhead Monitor Saw Tooth Other:

With Belcast With Parapet With False Front

THREAT TO STRUCTURE:

No Threat Zoning Roads Development Deterioration Other:

LOCAL ATTITUDES:

Positive Negative Mixed Other:

ADDITIONAL ARCHITECTURAL OR STRUCTURAL DESCRIPTION:

Three-bay house has gable-front with eaves returns, two-story frame wing addition to south. Porch addition wraps around south side of main block and partially covers facade of wing. Original sash 6/6. Heavy granite lintels cap door and windows. Glazed triangular window in gable. Exceptional classical door surround consists of fluted ionic columns in antis supporting a denticulated entablature. Glazed transom and sidelights frame door which is panelled and decorated with incised Greek Fretwork.

RELATED STRUCTURES:

Cider Mill, Covered Bridge, Gift Shop


STATEMENT OF SIGNIFICANCE:

This handsome farmhouse is a striking visual landmark on Route 7, seen as one travels south into Ferrisburg Center. Its outstanding Classic door surround bears striking resemblance to that of the McKinley residence, in New Haven (form #0113-23).

The residence forms part of an artificially composed "complex", consisting of a moved covered bridge (form #0105-47), Cider Mill, and Gift Shop. The house was once the property of O.E. Stone, a prosperous Ferrisburg Dairy and Stock Farmer.

Like other structures located very close to Route 7, the Spade Farmhouse must be placed in an "endangered" category.

MAP: (Indicate North In Circle)



SURROUNDING ENVIRONMENT:

- Open Land Woodland
- Scattered Buildings
- Moderately Built Up
- Densely Built Up
- Residential Commercial
- Agricultural Industrial
- Other: Route 7

RECORDED BY:

Terry Winters

ORGANIZATION:

VT Division for Historic Pres.

DATE RECORDED:

6/15/75



0105-24



VERMONT DIVISION OF HISTORIC SITES

COUNTY Addison TOWN Ferrisburg

SUBJECT Spade Farmhouse

DATE 6/75-7/75 FILE # ~~75-B-10~~

75-A-34

CREDIT Terry Winters

VIEW W

4